

Micro Contamination Control

C L E A N R O O M



# **Corporate Highlights**

Dou Yee established in 1982, is a premier one stop industrial solution provider, serving the semiconductor, data storage, electronics, medical and automotive industries. The Group has a team of highly skilled management and subsidiaries to focus on new products and vertical integration on supplier chain.

**DYI Group Revenue: S\$ 300 Millions** 

**DYI Total Employees Worldwide: More than 3000** 

### **Manufacturing Plants**

(Strategically located to be close to business partners and maintain competitive advantage)



Singapore HQ



Dou Yee Technologies



Dou Yee Manufacturing



C-Pak Cergas



Dou Yee Suzhou



Eurostat, France



Flexd, Japan

### ISO9001:2008 certified, ISO14001:2004 certified



Certificate SG96/07721



Certificate SG02/54422

# Content

Corporate Highlights2				
Introduction4				
Wipe6				
Microlite Wipe6				
MicroWhite SD Wipe6				
Micro Denier Wipe (Heavy Duty)6				
Non- Woven Micro Denier7				
ESD Wipe7				
PolyCell Wipe7				
Non-woven Wipe8				
Polka Dot Wipe8				
Magix SuperSorb Wipe8				
Swab9				
Cotton Swab9				
Foam/Polyester Swab9				
Micro-Stick9				
Glove10				
PVC Glove10				
Latex Glove (Textured)10				
Nitrile Glove (Finger textured)10				
Nylon Tricot Glove11				
Anti-Static Lint Free Glove11				
Conductive Glove with PVC dots on palm11				
Conductive Glove12				
Gloves (Palm Fit/ Top Fit)12				
Apparel12				
Hairnet, Non-woven, 12G12				
Shoe Cover				

Sticky Roller	1
Disposable Sticky Mat	1
Sticky Mats (Disposable), 30 Layers	14
Stationery	14
Cleanroom Paper	14
Tape	1
Cleanroom Tape	1
Facemask	1
Non-woven Facemask	1
Finger Cot	1
Antistatic Low Powder Finger Cot ,Pink	17
Nitrile Finger Cot	17
Orange Finger Cot	17
Powder-Free Finger Cot	18
Spore Black E9, Smooth surface, Rolled	18
Spore Sulphur Free, Smooth surface, Cut	18
Tweezer	19
Conductive Plastic Tweeser	19
Composite Tweezer	19
Premium Tweezer	19
Wafer Tweezer	19
Wafer Handling System	20
Other Products	2
Company Profile	2

# Introduction

Cleanroom is a facility in which the air supply, air distribution, filtration of air supply, material of construction, and operating procedures are regulated to control airborne particle concentration to meet appropriate cleanliness levels defined by ISO 14644 (Formerly Federal Standard 209E).

## **CLEANROOM CLASSES – Standard Comparison**


ISO Classification Number	Maximum concentration limits (particles/m³ of air) for particles equal to and larger than sizers shown below					Approx. Equivalent Fed. Std 209E	Approx. Equivalent Fed. Std 209D	
	0.1 μm	0.2 μm	0.3 μm	0.5 μm	1.0 μm	5.0 μm		
ISO Class 1	10	2						\ <i>\\</i>
ISO Class 2	100	24	10	4				
ISO Class 3	1,000	237	102	35	8		M1.5	Class 1
ISO Class 4	10,000	2,370	1,020	352	83		M2.5	Class 10
ISO Class 5	100,000	23,700	10,200	3,520	832	29	M3.5	Class 100
ISO Class 6	1,000,000	237,000	102,000	35,200	8,320	293	M4.5	Class 1,000
ISO Class 7				352,000	83,200	2,930	M5.5	Class 10,000
ISO Class 8				3,520,000	832,000	29,300	M6.5	Class 100,000
ISO Class 9				35,200,000	8,320,000	293,000	M7.5	

### **Controlled Manufactured Areas**

Classification	Typical Applications
Controlled Environments	Pharmaceuticals Research Laboratories Food Grade Equipment
Class 100,000 to 10,000	Printed Circuit Boards Precision Metering Equipment Pharmaceutical Fluids
Class 10,000 to 1,000	Electronic Components Medical Devices Floppy Disks
Class 100 to 10	Optics Disk Drives Semiconductor Networks
Class 10 to 1	Semiconductor Fabrication Thin Film Manipulation Flat Panel Displays

# **Types and Sources Of Contamination**

- » Equipment
- » Environment
- » People
- » Chemicals
- » Process, Incoming Parts, Materials...



# Wipe

## **Microlite Wipe**

- 100% polyester
- Economical choice of polyester wipes
- Lint free

Product code	Description/ Size	Packing
DYC100-01-DYCLEAN-MICROLITE-44	4" X 4"	600pcs/10pkts/ctn
DYC100-01-DYCLEAN-MICROLITE-99	9" X 9"	150pcs/10pkts/ctn



## MicroWhite SD Wipe

- 100% polyester
- Low extractable particles and metallic ions contaminants
- Laundered by D.I. water

Product code	Description/ Size	Packing
DYC100-01-DYCLEAN-MICROWHITE-SD-99	9" X 9"	150pcs/10pkts/ctn



# Micro Denier Wipe (Heavy Duty)

- Made of micro-thin fibers with highest degree of cleanliness
- Superior moisture and oil absorbency
- Non-abrasive

Product code	Description/ Size	Packing
DYC100-01-DYCLEAN-MICRO-DENIER-HD-99	9" X 9"	100pcs/10pkts/ctn



# Wipe

## Non-Woven Micro Denier (LEANZE\*\*

- Made of continuous filament microfiber non-woven material, 80gsm
- Economical choice of Micro Denier

Product code	Description/ Size	Packing
DYC100 01-CLEANZE-NW-MICRO-FIBER-XX	9" X 9" 12" X 12"	100pcs/10pkts/ctn



### **ESD Wipe**

- Knitted with carbon fiber
- Superb for ESD-sensitive applications

Product code	Description/ Size	Packing
DYC100-01-DYCLEAN-ESD-99	9" X 9"	150pcs/10pkts/ctn



## PolyCell Wipe (LEANZE™

- Woodpulp added to polyester foundation
- Long fibers providing excellent absorbency
- Minimal extractable and ionic contaminants
- Low static

Product code	Description/ Size	Packing
DYC100-01-CLEANZE-EN-PCELL	9" X 9"	300pcs/10bags/ctn



# Wipe

## Non-woven Wipe CLEANZE™



- Economic low lint wipes
- · Good water and oil absorbency

Product code	Description/ Size	Packing
DYC100-01-CLEANZE-NW-2525	25cm X 25cm	100pcs/30pkts/ctn
DYC100-01-CLEANZE-NW-1515	15cm X 15cm	150pcs/40pkts/ctn



## Polka Dot Wipe (LEANZE™



- Tough and durable
- Easily absorbs oil and most solvents
- Made of Polypropylene fibers which are highly chemical resistant

Product code	Description/ Size	Packing
DYC100-01-CLEANZE-POLKA-DOT-2930	29cm X30cm	50pcs/10bags/ctn



### Magix SuperSorb Wipe

- Developed specially for wet deaning application in the controlled environment
- Super absorbent and hold water or liquid up to 18 times its own weight
- Lint-free construction and resist shedding of particles due to abrasion
- High density structure properties make it ideal for particle sensitive deaning operations

Product code	Description/ Size	Packing
DYC100 02-MAGIXSORB-230X230X2MM	9" X 9"	10pcs/20bags/ctn



# **Swab**

### **Cotton Swab**

	Product code	Description/Size	Tip Diameter (mm)
а	DYC110-02-3-PA-CTRH-B2	2 headed, 3" paper stem	Ø 4.7
b	DYC110-02-3-W-RH-B	2 headed, 3" wooden stem	Ø 4.7
C	DYC110-02-3-PA-TRH-B	2 headed, 3" paper stem	Ø 4.7
d	DYC110-02-3-PA-RH-B	2 headed, 3" paper stem	Ø 3.6
e	DYC110-02-3-PA-SH-B-WOB	2 headed, 3" paper stem	Ø 2.7
f	DYC110-02-3-PA-VSH-B	2 headed, 3" paper stem	Ø 2.8
g	DYC110-02-6-PA-TRH-B	1 headed, 6" paper stem	Ø 4.7



## Foam/Polyester Swab (LEANZE\*\*)

	Product code	Description/Size	L x T x W (mm)
a	DYC110-08-132MM-708FS-FOAM	Foam, Length = 132mm	26 x 8 x 21
b	DYC110-08-131MM-707FS-FOAM	Foam, Length = 131mm	25 x 8 x 16
C	DYC110-08-126MM-712FS-FOAM	Foam, Length = 126mm	25 x 7 x 11
d	DYC110-08-70MM-758LPS	HD Polyester, Length = 70mm	10 x 2.2 x 3.2
e	DYC110-08-128MM-714PS	Polyester, Length = 128mm	24 x 3 x 13
f	DYC110-08-71MM-742FS-FOAM	Foam, Length = 71mm	12 x 3.5 x 3.6
g	DYC110-08-70MM-743PS	Polyester, Length = 70mm	12 x 3.6 x 4
h	DYC110-08-76MM-750FS-FOAM	Foam, Length = 76mm	10 x 3.2 x 3.2
•	DYC110-08-163MM-740FS-FOAM	Foam, Length = 163mm	18 x 5 x 6.8
j	DYC110-08-164MM-761PS	Polyester, Length = 164mm	18 x 5 x 6.8



### Micro-Stick

- The head is made from micro-porous polyurethane foam and attached to a strong polypropylene stem mechanically without adhesive
- Extremely soft with ultra-low particle generation
- PP stem reusable and heads replaceable with spares

	The stem reasonable and needs replaced by Will spares			
	Product code	Package	Tip Diameter (mm)	
a	DYC110-01-F5	100pcs / 40bags	Ø 5	
b	DYC110-01-F8	100pcs / 24bags	Ø 8	
C	DYC110-01-S5	100pcs / 40bags	Ø 5	
d	DYC110-01-S8	100pcs / 24bags	Ø 8	
e	DYC110-01-S3	200pcs / 40bags	Ø 3	



# Glove

# PVC Glove CLEANZE™

- Powder-free
- · Low ion contamination
- Anti-static
- Ideal for microelectronics process

Product code	Length /Size	Packing
DYC200-01-9-CLEANZE-EN-S/M/L	9"/S,M,L	100pcs/10pkts/ctn
DYC200-01-12-CLEANZE-EN-S/M/L	12"/S,M,L	100pcs/10pkts/ctn



# Latex Glove (Textured)

- Highly resistant to low concentration acid and alkalis, abrasion and tearing
- Suitable for Class 100 or higher
- Ideal for Cleanroom, disk-drive and related industries (HGA, HSA, etc.)

Product code	Length /Size	Packing
DYC200-02-9-CLEANZE-T-S/M/L	9"/S,M,L	100pcs/10pkts/ctn
DYC200-02-12-CLEANZE-T-S/M/L	12"/S,M,L	100pcs/10pkts/ctn



# Nitrile Glove (Finger textured)



- Eliminates risk of latex allergy reaction
- Better chemical and abrasion resistance than latex gloves
- Low odour

Product code	Length /Size	Packing
DYC20093-01-9-CLEANZE-FT-S/M/L	9"/S,M,L	100pcs/10pkts/ctn
DYC20093-01-12-CLEANZE-FT-S/M/L	12"/S,M,L	100pcs/10pkts/ctn



# **Glove**

## **Nylon Tricot Glove**

- 100% Nylon
- Soft and smooth
- Lint free

Product code	Size	Packing
DYC200-99-NT-S/M/L	S,M,L	12pcs/50doz/ctn




### **Anti-Static Lint Free Glove**

- 100% polyester
- Made with continuous less-linting filament knitted with carbon fibre

Product code	Size	Packing
DYC200-99-S/M/L	S,M,L	12prs/50doz/ctn



# Conductive Glove with PVC dots on palm



- Anti-Static and lint free



PVC dots on pairn for better grip			
Product code	Size	Packing	
DYC200-99-PVC-S/M/L	S.M.L	12prs/50doz/ctn	



# Glove

# Conductive Glove (Palm fit / Top fit)

- Easily absorbs oil and most solvents
- Made of Polypropylene fibres which are highly chemical resistant

Product code	Description/ Size	Packing
DYC200-PU-COND-PF-DYCLEAN	S/M/L	10prs/25pkts/ctn
DYC200-PU-COND-TF-DYCLEAN	S/M/L	10prs/25pkts/ctn



### Glove

(Palm fit / Top fit) dyCLE/N.

- 100% Nylon with PU coated at Palm (for PF), and at finger tips (for TF) for anti-slip property.
- Ideal for clean environment and precise operations.

Product code	Description/ Size	Packing
DYC200-PU-PF-DYCLEAN-S/M/L/XL	S/M/L/XL	10prs/25pkts/ctn
DYC200-PU-TF-DYCLEAN-S/M/L/XL	S/M/L/XL	10prs/25pkts/ctn



# **Apparel**

### Hairnet, Non-woven, 12G

- Made from spun bonded non-woven, thermally sealed waffle pattern PP
- Anti-fraying





Flat

Pleated

Product code	Description	Packing
DYC300-01-HAIRNET/BAG-DYCLEAN-12G	Flat	100pcs/10bags/ctn
DYC300-01-PLEATED-HAIRNET -DYCLEAN-12G	Pleated	100pcs/10pkts/ctn



# **Apparel**

# Shoe Cover CLEANZE™













Product code	Description	Packing
DYC300-10-1541-DSC-DYCLEAN-HD	CPE, 16"	100pcs/20bags/ctn
DYC300-10-NW-SC-BL-DYCLEAN-40G	Non-woven	100pcs/10bags/ctn
DYC300-10-1646-A/SLIP-NW-SC-BL-40G	Anti-slip, Non-woven, 18", Blue	100pcs/10bags/ctn
DYC300-10-NW-SC-CONDSTRIP-FILM-BL	Non-woven, Conductive strip, Blue	100pcs/10pkts/ctn

# **Sticky Roller**

- Tacky tape made from LDPE which is cushiony and guarantees noise-free entrapment of dust, dirt and lint.
- Perforated tape to ensure easy tear-off
- Roller tape is easy to replace.
- Colours: White and Clear
- Available in ESD version.

Item	Product code	Sizes	Packing
CCT-160 CCT-80	DYC400-TK-CCT	80 or 160mm	10pcs/ctn
		80/100mm	200rolls/ctn
	DYC400-TK-XXXS	160/200mm	100rolls/ctn
Refills		300mm	50rolls/ctn

# **Disposable Sticky Mat**

Sticky Mat (Disposable), 30 Layers







• Removes contamination on shoes heels, soles and wheels

Product code	Description/Size	Packing
DYC410-01-CLEANZE-BL-2436-10	Blue, 24" X 36"	30sheets/10mats/ctn
DYC410-01-CLEANZE-BL-2645-10	Blue, 26" X 45"	30sheets/10mats/ctn
DYC410-01-CLEANZE-WH-2436-10	White, 24" X 36"	30sheets/10mats/ctn
DYC410-01-CLEANZE-WH-2645-10	White, 26" X 45"	30sheets/10mats/ctn

# **Stationery**

### **Cleanroom Paper**

- Dimensionally stable and compatible in both wet and dry copy system.
- Available in White, Blue, Yellow, Green, Pink, Orange, Violet and Light Orange

Product code	Description/Size	Packing
	A5 - 210mm x 148mm	250 ah a ata /ula
DVC500.40 M/I Calaura	A4 - 210mm x 297mm	
DYC500-10-WJ-Colour	A3 - 420mm x 297mm	250 sheets/pkt
	Letter Size - 216mm x 279mm	



# **Tape**

### **Cleanroom Tape**



Tape with ESD logo

- Suitable for cleanroom use
- Available in multiple sizes
- 3 types with classification as below :

Product code	Description	Length	Width	Packing
DYC510-TK-CL500-WidthX50m	Antistatic Callulana FOra		12.7, 19, 25mm	100rolls/ctn
DYCS10-1K-CLS00-WIGHIXSOIII	Antistatic Cellulose	50m	50, 75mm	50rolls/ctn
DVCE40 TV LICDAC474 Middle V22	Antistatic Vinyl Tape with ESD logo		12.7, 19, 25mm	60rolls/ctn
DYC510-TK-HCPAS174-WidthX33m			50, 75mm	30rolls/ctn
DVCF40 TV VT420AC W/JdbV22	Debisside Terre	22	9, 12.7, 16, 19, 25mm	60rolls/ctn
DYC510-TK-YT130AS-WidthX33m	Polyimide Tape 33m		50.8, 75mm	30rolls/ctn

# **Facemask**

## Non-woven Facemask dyCLE/N.

### 6 types as below:









Product code	Description/Size	Packing
DYC600-HH-03-R-PL-HL-DYCLEAN	3 ply, Head loop	50pcs/40pkts/ctn
DYC600-03-TO-DYCLEAN	3 ply, Tie on	50pcs/40pkts/ctn
DYC600-SF-CARBON MASK-4	4 ply, Carbon	50pcs/40boxes/ctn
DYC601-2P-PT20W-180NMNW-MT-2000	2 ply	50pcs/40pkts/ctn
DYC601-3P-PT20W-MB-180NMNW-MT-2000	3 ply (filtered), 180mm	50pcs/40pkts/ctn
DYC601-3P-PT20W-MB-210NMNW-MT-2000	3 ply (filtered), 210mm	50pcs/40pkts/ctn

# **Finger Cot**

### 1) Discovery of rubber and vulcanization:

The word 'Rubber" was named by Joseph Priestly, a Chemist in England in 1770, after he accidentally rubbed of pencil marks with coagulated rubber. Natural Rubber (Latex) biggest breakthrough was through the Vulcanization process, which was discovered by Charles Goodyear in 1839. Vulcanization is a process which involves heating rubber with Sulphur, where the sulphur acts to retain and improve the rubber elasticity.

### 2) Vulcanization:


Sulfide (Vulcanization) refers to a rubber material by intermolecular crosslinking raw rubber, which involved adding sulfur and heated sulfur retention and enhancing the role of the elasticity of rubber, vulcanized rubber properties is a process for improvement in this process, the linear structure of the macromolecules to generate a three-dimensional crosslinked network structure of the molecule, stable three-dimensional structure of the molecule, so that the rubber elasticity and strength properties, and many have been enhanced, is 10 times more than natural rubber.

### 3) Why is there powder in natural rubber finger cot?

Natural Rubber finger cots usually contain powder as natural rubber is very sticky. Talcum powder is thus added to prevent the cots from sticking together.

### 4) Chlorination Process:

Chlorination is required when high level of cleanliness is required for the finger cots. It eliminates any extra powder on the surface of the finger cots. However, to note that it increases occurrence of oxidation and corrosion against metallic content material during assembly.



# **Finger Cot**

### Antistatic Low Powder Finger Cot ,Pink

- Surface resistivity of 109 1011 ohm/sq
- Special washing process to reduce ionics, non-violatile resistance, particles and other contaminants

Product code	Type/Size	Packing
DYC800-01-PINK-AS-S/M/L	Rolled/S, M, L	1440pcs/20bags/ctn



# Nitrile Finger Cot CLEANZE™

- Static dissipative
- Chlorine and sulphur free
- Special washing process to reduce ionics, non-violatile resistance, particles and other contaminants

Product code	Type/Size	Packing
DYC800-01-CLEANZE-EDELEX-UR-S/M/L	Unroll/S, M, L	1000pcs/20bags/ctn
DYC800-01-CLEANZE-EDELII-ROLLED-S/M/L	Rolled/S,M,L	1000pcs/20bags/ctn



## Orange Finger Cot (LEANZE\*\*

- Low powder and heavy duty
- Reusable
- Cleanroom compatible
- Textured surface for good grip

Product code	Size	Packing
DYC800-01-CLEANZE-MASK-OR-TH-S	S	300pcs/36bags/ctn
DYC800-01-CLEANZE-MASK-OR-TH-M	М	300pcs/30bags/ctn
DYC800-01-CLEANZE-MASK-OR-TH-L	L	300pcs/24bags/ctn



# **Finger Cot**

### **Powder-Free Finger Cot**



- Designed to provide sensitive touch for work in electronics and other fields
- A proprietary "washed" process leaves no free radical reactive sites and low NVR
- Tapered design eliminates air space at tip
- Packed in a controlled environment

Product code	Size	Packing
DYC800 02-06-CLEANZE-WHITE	Rolled/M	1440pcs/20bags/ctn



### Spore Black E9, Smooth Surface, Rolled

- Surface resistivity of 109 Ohm/square
- Conductive agents are blended with latex to provide consistent ESD performance.
- Anti-static function for ESD sensitive components
- Special washing process to reduce ionics, non-violatile resistance, particles and other contaminants

Product code	Size	Packing
DYC800-SB-R-E9-S/M/L	Rolled / S,M,L	1440pcs/20bags/ctn



## Spore Sulphur Free, Smooth surface, Cut

- Sulphur Free.
- Prevents contamination by sulphur on metal surfaces
- 100% pure natural rubber latex

Product code	Type/Size	Packing
DYC800-SS-C-S	Cut/S	1440pcs/20bags/ctn



## **Tweezer**

### **Conductive Plastic Tweezer**

- Heat resistance up to 150 °C
- Scratch free
- ESD Safe
- High acid and alkali resistance

Product code	Packing
DYC900-02-NK35A	10pcs/pkt
DYC900-02-NK6	
DYC900-02-NK2A	
DYC900-02-NK7	
DYC900-02-NKR	



### **Composite Tweezer**

- Aluminium body with replaceable ceramic tips
- Heat resistance, non-magnetic body with static dissipative tip
- Ideal for electronic equipment, semiconductors bionics and superconductivityrelated equipment

Product code	Description
DYC900-CTW-ESDTO2	Composite tweezer with tip
DYC900-CTW-ESDTO2-TIP	Replaceable tip only



## Premium Tweezer CLEANZE\*\*



- Stainless Steel
- ESD Safe
- High Heat and wear resistance

Product code	Packing
DYC900-08-CLEANZE-00-SA	
DYC900-08-CLEANZE-2A-SA	10pcs/pkt
DYC900-08-CLEANZE-3C-SA	
DYC900-08-CLEANZE-AA-SA	
DYC900-08-CLEANZE-SS-SA	



### **Wafer Tweezer**

Product code	Description
DYC900-SP-600W-SA	For up to 6" wafers with 6 prongs
DYC900-SP-T5508W-SA	For up to 6" wafers with Anti-fatigue level
DYC900-SP-500W-SA	For up to 5" wafers with 5 prongs
DYC900-SP-600A-SA	For up to 6" wafers
DYC900-SP-800A-SA	For up to 8" wafers



# Wafer Handling System dy□LE/N...



The use of clean organic materials, patented vacuum tip design and true ESD protection provides a unique system with the highest levels of cleanliness and safety.

All parts of Vacuum Handling System are interchangeable. They can be configured or upgraded to meet the specific end-user requirements.

- Manual solution for single wafer handling
- True ESD protection
- High impedance range (SD)
- Manufactured from clean organic materials
- Unique surface treatment provides roughness (0.3µm)
- Optical polishing of vacuum surface
- Vacuum wand normally open
- Patented raised vacuum surface to minimize contact
- Patented support ribs prevent wafer deformation
- Reinforced vacuum tube prevents vacuum loss


Product code	Description	Specifications
DYC950-02-EI14 EP-0	Peek tip for up to 5" wafers	PEEK + CF
DYC950-02-EI14 EP-30	Peek tip for up to 5" wafers, Ext 30 degree	PEEK +CF
DYC950-02-EI30 EP-0	Peek tip for up to 8" wafers	PEEK +CF
DYC950-02-EI30 EP-30	Peek tip for up to 8" wafers, , Ext 30 degree	PEEK +CF
DYC950-02-EI50 EP-0	Peek tip for up to 12" wafers	PEEK +CF
DYC950-02-SPCV	Vertical Wand Stand	PVDF
DYC950-02-VSNO-SD	Normally Open Wand	PVDF + CF
DYC950-02-CTS-SD-1/4SD	Coiled Vacuum Tube, ESD	Polyurethane

## **Other Products**

Aerosol & Particle Counters......











Anti-con Wipes.....









Chairs.....



Dry Cabinets.....







**Facilities** 









Gordon Brushes.....



High Temp & Chemical Gloves......











Handlaps.....




Multi-Functional Air Quality Meters.....



PVA Products.....







# **Other Products**

**Protective Equipment** 




































Tyvek Products.....





Trolleys & Shelving.....





Vacuum Cleaners.....











Wafer Transfer & Storage Machines





























Others.











# **Company Profile**

Dou Yee Enterprises is the premier total industrial solutions provider in the Asia Pacific region, serving with distinction in the semiconductor, data storage, electronics and biomedical industry since 1982.

We have 39 international branch offices strategically located around the world to give customers the fastest and most accessible products and services.

Our manufacturing plants, located in Singapore, Malaysia (Seremban), China (Suzhou) and France are governed by consistent quality systems with ISO 9001:2008 and ISO 14001:2004 certifications.

You can rely on us for products and services that are comprehensive in range, reliable in quality, accessible in location, and backed up by our many years of experience and expertise.

Dou Yee, your preferred partner in the industrial world.









**Singapore HQ** 

**Dou Yee Manufacturing** 

Dou Yee Suzhou

**Eurostat, France** 

### **Stream of Products & Services**

- ► Electrostatic Discharge Control
- Micro Contamination Control
- Dry Packaging / Electronic Packaging Materials
- **▶** Electronic Equipment and Tools
- Bio Medical
- Chemicals for Electronics Industry
- Personal Protective Equipment
- Nano Composite Materials



















### **HEAD OFFICE SINGAPORE**

2304 Bedok Reservoir Road Bedok Industrial Park C Singapore 479223 Tel: (65) 6444 2678 | Fax: (65) 6743 7172 | Email: s4\_marketing@douyee.com.sg

### **OVERSEA OFFICES**

<u>Johor Bahru</u> No. 131 & 131A, Jalan Seri Impian 1, No. 131 & 131A, Jalani Seri inipiani . Taman Impian Emas, 81300 Johor Bahru, Malaysia. Tel: (607) 556 6284 / 558 6285 Fax: (607) 556 6273 Email: jhbsales1@douyee.com.my

Malacca No. 13 and 13-1, Jalan Puncak 2, Taman Puncak, Bukit Katil, 75450 Melaka, Malaysia. Tel: (606) 231 5050(61/62/64 Fax: (606) 231 5059 Email: mlcsales@douyee.com.my

Kuala Lumpur
No 26 Shah Alam Technology Park,
Jalan Tamborin 33/23, Sek. 33,
40460 Shah Alam, Selangor, Malaysia.
Tel: (603) 5121 1613 / 14
Fax: (603) 5121 8121
Email: dysales@douyee.com.my

Penang 18 Lorong Talang 8, Taman Emas, 13600 Perai, Penang, Malaysia. Tel: (604) 390 4824 Fax: (604) 390 3815 Email: pngsales1@douyee.com.my

Ipoh
79 Persiaran Klebang, Kawasan Perusahaan
IGB, Off Jalan Kuala Kangsar, 31200 Ipoh,
Perak, Malaysia.
Tel: (605) 2911853
Fax: (604) 390 3815
Email: pngsales9@douyee.com.my

Sarawak Ground Floor SL2,Samajaya Commercial Centre Jalan Setia Raja, 93350 Kuching Sarawak Tel: (082)-262518 Fax: (082)-363517 Email: dennis.ngu@douyee.com.my

Taipei 5F-2, No. 328, Chang Chun Road, 104 Taipei, Taiwan Tel: (886) 2 2715 1156 Fax: (886) 2 2712 8570 Email: deamer.wu@douyee.com.tw

HsinChu Rm. 1, 20F., No.295, Sec. 2, Guangfu Rd., Hsinchu City 30071, Taiwan Tel: (886) 3571 1618 Fax: (886) 3571 1619 Email: deamer.wu@douyee.com.tw

HONG KONG Room #6, 8th Floor, Vanta Industrial Centre, No. 21-33, Tai Lin Pai Road, Kwai Chung, N.T., Hong Kong China Tel: +852-2480 6337 Fax: +852-2487 7956 Email: dyhk@douyee.com.hk

### CHINA

CHINA
Shanghai
1st Floor, Block B, Hi-Tech Industrial Center,
No. 559, NingQiao Road, JinQiao,
PuDong District (New), ShangHai 201206 China
Tel: +86-21-5899 4619
Fax: +86-21-5899 4618
Email: dysh@douyee.com.cn

Suzhou No. 58, West Shen Hu Road, Suzhou Industrial Park, 215123 China Tel: +86-512-6258 5066 Fax: +86-512-6258 5366 Email: ongcc@douyee.com.sg

Beijing #6010, Block 2, Chunlan Building, No.88, Nan San Huan road (west), Feng Tai District, Beijing 100070 China Tel: +86-10-8368 6931 Fax: +86-10-8368 7651 Email: dybj@douyee.com.cn

Tianjin #202, SenTe Building, YuRong GardenJinZhong River Street, HeBei District, TianJin 300150 Tel: +86-22-2642 2093 Fax: +86-22-2642 2023 Email: dytj@douyee.com.cn

Dalian #607, No.263, Huanghe Road, Xigang District, Dalian 116011 China Tel: +86-411-8377 9121 / 9193 Fax: +86-411-8369 5216 Email: dydl@douyee.com.cn

Chengdu
Unit #C1409, XieWang Building,
No. 9, XieDu Road (South),
1st Avenue, ChengShuang Section,
ChuanZang Road, WuHou District,
Chengbu 610043 China
Tel: +86-28-8501 7691
Fax: +86-28-8501 7693
Email: dycd@douyee.com.cn

Xi An #401, Unit 3, Block 8, No.306, JiXiang Road,-Southern suburb, XiAn 710063 China Tel: +86-29-8824 7085 Fax: +86-29-8824 7085 Email: dyxa@douyee.com.cn

Anhui #2607, Block 7, West Ring Central Plaza, Huangshan Road (West), Shushan District, Hefei 230000 China Tel: +86-21-5899 4619 Fax: +86-21-5899 4618 Email: dyah@douyee.com.cn

Shenzhen Unit #13-F, JinSong Building, Terra 4th Road, Che Gong Miao, FuTian District, ShenZhen 518040 China Tel: +86-755-8389 0255 Fax: +86-755-8389 0675 Email: dysz@douyee.com.hk

INDONESIC Jakarta
Menara Pasifik Lt.3 Ruang 6,
JI.MH.Thamrin Kav.107, Lippo Cikarang,
Bekasi 17550 Jawa Barat.
Tel: (6221) 8990 1153
Fax: (6221) 8990 5101
Email: ptdouyee@douyee.com.sg

Batam Batamindo Shophouse Blk C #01-16, Mukakuning Batam, 29433 Indonesia Tel: (011) 7 7061 2490 Fax: (011) 7 7061 2489 Email: btmsales3@douyee.com.sg

THAILAND 75/27 Moo 11, Phaholyothin Rd, T./Klongnueng, A.Klongluang, Pathumthani 12120 , Thailand Tel: (662) 529 0979 Fax: (662) 9081820 Email: mkt.thailand@douyee.co.th

### **PHILIPPINES**

#1105-1108 Richville Corporate Tower Madrigal Business Park, Alabang-Zapote Road Alabang, Muntinlupa City 1770, Philippines Tel. (-632) 807 4683 / 84 / 85 Fax: (+632) 807 4682 Email: easy.cunanan@douyee.com.ph

Cebu Room 204, Lilang's Guitar Building Quezon National Highway, Brgy. Pajo Lapu-Lapu City 6015, Cebu Philippines. Tel: (6332) 341 1577 / 0147 Fax: (6332) 340 7686 Email: phsales3@douyee.com.ph

Ho Chi Minh
231-233 Le Thanh Ton Street,
Ben Thanh Ward, District 1,
Ho Chi Minh City, Vietnam
Tel: (84) 8 3910 4420
Fax: (84) 8 3910 4419
Email: vnmsales1@douyee.com.sg

Hanoi P902, 49A Le Van Huu, Hai Ba Trung, Hanoi, Vietnam Tel: (844) 6275 4337 Fax: (844) 6275 4337 Email: vnmsales2@douyee.com.sg

Nordonama 2 Tsurumi Building, 302, 2-10-34 Kita-Saiwai, Nishi-ku,Yokohama, Kanagawa 220-0004 Japan Tel: (8145) 312 9906 Fax: (8145) 312 9907 Email: mktg@douyee.co.jp

KOREA
The Sharp First World, # F-1402, Songdo-dong,
Yeonsu-gu, Incheon city,Korea, 406-743
Tel: (82) 10 26984161
E-mail: leeys@douyee.com.sg

Truckee 15570 Glenshire Drive, Truckee, CA 96161-1302 Tel: (530) 320 1313 Email: don.boehm@douyee.com

Murphys PO Box 736 Murphys, CA 95247 Tel: 209-822-0121 Email: rj.sturgeon@douyee.com

FRANCE
Tournefeuille
94 Chemin De La Peyrette,
31170 Tournefeuille, France
Tel: +33 5 61 16 20 50
Fax: +33 5 34 57 51 30
Email: info.fr@douyee.fr

### Pont de Poitte

Rudsjöterrassen 3, 136 40 Handen, Sweden Tel: +46 (0) 10 690 06 20 Fax: +46 (0) 10 690 06 21 Email: info.se@eurostatgroup.com

### NETHERLANDS

### UNITED KINGDOM

England
Unit 2, Capital Court, Bittern Road, Sowton
EXETER, EX2 7FW, ENGLAND
Tel: +44 (0) 139 235 7548
Fax: +44 (0) 139 226 8167
Email: info.uk@eurostatgroup.com

ul. Wrocławska 33D, 55-095 Długołęka Tel: +48 500 436 293 Email: info.pl@eurostatgroup.com

### HUNGARY- ROMANIA

2120 DUNAKESZI - HUNGARY Barátsag u. 40/C, 4/9 Tel: +36 70 609 4216 Email: info.hu@eurostatgroup.com

### **SLOVAKIA- CZECH REPUBLIC**

Podzahrádná 4 82107 BRATISLAVA – SLOVAKIA Tel: +421 908 581 747 Email: info.sk@eurostatgroup.com