

Handtools Catalogue





SHEFFIELD throughout the world



SHEFFIELD European Headquarters

- ▶ Conducting the sales and services in Europe



SHEFFIELD U.S. Headquarters

- ▶ Conducting the sales and services in North America and South America



SHEFFIELD China Headquarters

- ▶ Conducting the sales and services in Asia





COMPANY BACKGROUND

Leading global developer of tools

- ▶ GreatStar industrial is the largest hand tools vendor in Asia and ranking top 6th manufacturer and supplier of the world.

Growing up with world famous brands

- ▶ Famous brands under SHEFFIELD

WORKPRO®

Goldblatt
TOOLS

PaceSetter


SABERTOOTH 





R&D CAPABILITIES

- ▶ SHEFFIELD has a professional team of more than 100 product design and research engineers. We produce an average of 400 new products annually. Our design team, coupled with our tooling division, can produce SLA samples within 24 hours and working prototypes within a week. Your designs will become a reality and allow you to be the first to market.





PRODUCTION CAPACITY

- ▶ SHEFFIELD has expanded with two production bases with a combined total of 1.6 million square feet for manufacturing and product development.



▶ Production Base Glance



▶ Tooling Division



▶ Warehouse & Distribution



▶ **Production Base**
1.07 million square feet of manufacturing space




▶ **Manufacture Center**
2 million square feet of manufacturing space



DETECTION & EXPERIMENTAL CENTER

- ▶ Our QC Division has 50 engineer working in our test labs as well as monitoring production at all of our factories. Our primary test lab at our Headquarters is equipped with some of the most state of the art machinery available. Every product and package we manufacture must pass a rigorous testing process both during and post production before it is cleared for shipment.



▶ Testing Center

▶ RoHS & PAHs Testing Lab

CONTENT



Mechanics Tools

Tool Set, Socket, Wrench

08-14



Tools Bag & Storage

Tool Box, Tool Trolley, Aluminium Tool Box

15-16



Electrical Tools

Tool Set, Flashlight, Tweezer, Voltage Tester, Pliers, Crimping Tool, Screwdriver

17-21



VDE Insulated Tools

Screwdriver, Pliers, Wrench, Electrician's Knife, Nose Plier and Tweezer

22-23



Holding Tools

Pliers, Locking Pliers, Multi-purpose Tool

24-26



Fastening Tools

Screwdriver, Ratchet Screwdriver, Hex Key

27-30



Cutting Tools

Utility Knife, Saw, Multi-Function Tool

31-32



Measuring Tools

Feeler Gauge, Tape Measure, Square, Vernier Caliper

33-34



Striking and Finishing Tools

Hammer, Diamond Needle File

35-36



Drilling Tools

HSS Ground Thread Tap, T-Handle Ratchet Tap Wrench, Cobalt Stub Drills

37-38



Automotive and Tool Kit

Repair / Maintenance Tool Kit, General Purpose Tool Kit

39-40

MECHANICS TOOLS

Tool Set, Socket, Wrench





Logo plate using aluminum alloy, specular cutting craft, smooth surface treatment, with light reflection function



The hasp adopting qualified zinc alloy, atomization surface treatment, ensuring durable, fine shape, anti-break



Patented quick structure design, connected with metallic pin, easy to assembly, disassembly long service life, durability, anti-break



Ergonomic design, oil-resistant soft grip handle for comfort

150 Pc Tool Set

- Chrome-Vanadium steel
- Chrome plated, mirror polished

CR-V



| Item no. | |
|----------|---|
| S010002 | 1 |

- 10Pc 1/4" Dr. Standard 6pt Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 6Pc 1/4" Dr. Deep 6pt Sockets: 4, 5, 6, 7, 8, 9mm
- 3Pc 3/8" Dr. Phillips Bit Sockets: PH1, PH2, PH3
- 6Pc 3/8" Dr. Deep 6pt Sockets: 10, 11, 12, 13, 14, 15mm
- 2Pc 3/8" Dr. Extension Bars: 3", 6"
- 2Pc 3/8" Dr. 6pt Spark Plug Sockets: 16, 21mm
- 6Pc 1/2" Dr. Deep 6pt Sockets: 10, 12, 13, 14, 17, 19mm
- 8Pc 3/8" Dr. Torx Sockets: E8, E10, E11, E12, E14, E16, E18, E20
- 11Pc 3/8" Dr. Standard 6pt Sockets: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 3Pc 3/8" Dr. Slotted Bit Sockets: 4.0, 5.5, 6.5mm
- 4Pc 1/2" Dr. 6pt Impact Sockets: 17, 19, 21, 23mm
- 4Pc 1/4" Dr. 25mm Phillips Bits: PH0, PH1, PH2, PH3
- 6Pc 1/4" Dr. 25mm Slotted Bits: 3, 4, 5, 5.5, 6, 6.5mm
- 3Pc 1/4" Dr. 25mm Pozi Bits: PZ1, PZ2, PZ3
- 8Pc 1/4" Dr. 25mm Hex Bits: 2, 2.5, 3, 4, 5, 6, 7, 8mm
- 7Pc 1/4" Dr. 25mm Torx Bits: T10, T15, T20, T25, T27, T30, T40
- 7Pc 1/2" Dr. Standard 12Pt Sockets: 20, 21, 22, 24, 27, 30, 32mm
- 2Pc 1/2" Dr. Extension Bars: 5", 10"
- 3Pc 3/8" Dr. Torx Bit Sockets: T20, T30, T40
- 6Pc 3/8" Dr. Hex Bit Sockets: 3, 4, 5, 6, 8, 10mm
- 3Pc 3/8" Dr. Pozi Bit Sockets: PZ1, PZ2, PZ3
- 12Pc Mirror Polished Combination Wrenches: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 3Pc Mirror Polished Double Ring End Spanners: 8 x 10, 12 x 13, 17 x 19mm
- 9Pc Long Arm Ball End Hex Keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 1Pc 1/4" Dr. Professional Quick Release Ratchet
- 1Pc 1/4" Dr. Extension Bar: 4"
- 1Pc 1/4" Dr. Spinner Handle
- 1Pc 1/4" Dr. Universal Joint
- 1Pc 1/4" Dr. Bit Holder
- 1Pc 1/4" Dr. Adaptor: 6.3mm x 10mm
- 1Pc 3/8" Dr. Adaptor: 10mm x 6.3mm
- 1Pc 3/8" Dr. Tee-joint: 10mm x 12.5mm
- 1Pc 1/2" Dr. Adaptor: 12.5mm x 10mm
- 1Pc 3/8" Dr. Professional Quick Release Ratchet
- 1Pc 3/8" Dr. Universal Joint
- 1Pc 3/8" Dr. T-slider 200mm
- 1Pc 1/2" Dr. Professional Quick Release Ratchet
- 1Pc 1/2" Dr. Universal Joint
- 1Pc 1/2" Dr. L-handle
- 1Pc Magnetic Pick Up Tool

42 Pc Tool Set

- Chrome-Vanadium steel
- Chrome plated, mirror polished

CR-V



| Item no. | |
|----------|---|
| S010042 | 1 |

- 20pc 1/2" Dr. Standard 6pt Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 14pc Mirror Polished Combination Wrench: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 2pc 1/2" Dr. 6pt Spark Plug Sockets: 16mm, 21mm
- 1pc 1/2" Dr. Universal Joint
- 1pc 1/2" Dr. Adaptor
- 1pc 1/2" Dr. F-handle
- 1pc 1/2" Dr. Professional Quick Release Ratchet

64 Pc Tool Set

- Chrome-Vanadium steel
- Chrome plated, mirror polished

CR-V



| Item no. | |
|----------|---|
| S010064 | 1 |

- 15pc 3/8" Standard 6pt Sockets: 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm
- 3pc 1/4" Dr. Spinner Handle, 1/4" Dr. Bit Holder, 1/4" Dr. Adaptor 6.3 x 10mm
- 2pc 3/8" Dr. Spark Plug Sockets: 16, 21mm
- 4pc 3/8" Dr. Universal Joint, 3/8" Dr. Adaptor: 10 x 6.3mm, 3/8" Dr. Extension Bars: 3", 10"
- 1pc 3/8" Dr. Quick Release Rubber Grip Ratchet
- 11pc Combination Wrenches: 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 22mm
- 2pc 6" Bi-color Long Nose Pliers: 8" Slip Joint Pliers
- 9pc Long Arm Hex Keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 2pc 1/4" Dr. 25mm Pozi Bits: PH1, PH3
- 3pc 1/4" Dr. 25mm Slotted Bits: 4, 5, 6.5mm
- 6pc 1/4" Dr. 25mm Torx Bits: T10, T15, T20, T25, T30, T40
- 4pc 1/4" Dr. 25mm Hex Bits: H3, H4, H5, H6
- 2pc Slotted Screwdriver 6 x 100mm, Phillips Screwdriver PH2 x 100mm

61 Pc Tool Set

- Chrome-Vanadium steel
- Chrome plated, mirror polished

CR-V



Item no.

S010061



1

- 14pc 3/8" Dr. Standard 6pt Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 13pc Combination Wrenches: 8, 10, 11, 12, 13, 15, 16, 18, 19, 21, 22, 24mm
- 5pc Circlip Pliers
- 1pc 8" Adjustable Wrench
- 3pc Bi-color Slotted Screwdrivers: 6 x 40, 3 x 75, 5 x 100mm
- 4pc Bi-color Phillips Screwdrivers: PH2 x 45, PH0 x 75, PH1 x 100, PH2 x 150mm
- 1pc 3/8" Dr. Quick Release Ratchet
- 1pc 3/8" Dr. Universal Joint
- 9pc Extra-Long Arm Ball End Hex Keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 1pc Mirror Polished Ratchet Combination Wrench 17mm
- 2pc Bi-color Linesman Pliers 8", Bi-color Long Nose Pliers 6"
- 3pc 3m Tape Measure: 23-Blade Feeler Gauge, 150mm Stainless Steel Ruler
- 1pc Fiberglass Handle Ball Pein Hammer 16OZ
- 1pc 26" Magnetic Pick Up Tool
- 1pc 18mm Auto Reload Snap Knife
- 1pc 9LED 2AA Heavy Duty Flashlight

28 Pc Tool Set

- Chrome-Vanadium steel
- Chrome plated, mirror polished

CR-V



Item no.

S010028



1

- 18pc 1/2" Dr. Standard 6pt Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 2pc 1/2" Dr. Extension Bars: 5", 10"
- 2pc 1/2" Dr. Universal Joint, 1/2" Dr. Adaptor
- 1pc 8" Adjustable Wrench
- 1pc 6" Long Nose Pliers
- 3pc Bi-color Screwdriver: 3 x 75mm
- Bi-color Screwdriver: 5 x 100mm
- Bi-color Screwdriver: #1 x 100mm

26 Pc Tool Set

- Chrome-Vanadium steel
- Chrome plated, mirror polished

CR-V



Item no.

S010026



1

- 20Pc 1/2" Dr. Standard 12Pt. Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 32mm
- 2Pc 1/2" Dr. Extension Bars: 5", 10"
- 1Pc 1/2" Dr. Universal Joint
- 1Pc 1/2" Dr. 6pt Spark Plug Sockets 21mm
- 1Pc 1/2" Dr. T-slider
- 1Pc 1/2" Dr. Professional Quick Release Ratchet

29 Pc Tool Set

- Chrome-Vanadium steel
- Chrome plated, mirror polished

CR-V

► It can be used with SHEFFIELD tool



Item no.

S025023



1

- 19pc 1/2" Dr. Standard 6pt Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32, 34mm
- 5pc 1/2" Dr. Deep 6pt Sockets: 10, 13, 17, 19, 22mm
- 2pc 1/2" Dr. Extension Bars: 5", 10"
- 3pc 1/2" Dr. Round Head Quick Release Ratchet
- 1/2" Dr. Universal Joint
- 1/2" Dr. Tee-joint

4 Pc Pliers Set

- Forged from high grade chrome vanadium steel for durability
- Bi-material soft grip handle for comfort
- Heat-treated cutting edge stay sharper, longer

CR-V

► It can be used with SHEFFIELD tool trolley



Item no.

S025028



1

- 1Pc 6" Bi-color Long Nose Pliers
- 1Pc 6" Bi-color Diagonal Pliers
- 1Pc 8" Bi-color Linesman Pliers
- 1Pc 6" Dipped Handle Diagonal Pliers

5 Pc Tool Set

- Forged from high performance chrome vanadium steel for durability
- Chrome plated for rust-resistant

CR-V

► It can be used with SHEFFIELD tool trolley



Item no.

S025029



1


- 1Pc 10" Adjustable Wrench
- 1Pc 8" Linesman Pliers
- 1Pc 6" Long Nose Pliers
- 1Pc 7" Curved Jaw Locking Pliers
- 1Pc 6.5" Straight Jaw Locking Pliers

1/2" Dr. Ratchet

- 1/2" drive, reversible, 36-teeth gear
- Chrome-Vanadium steel
- Ergonomic rubberized grip
- Chrome plated, mirror polished

1/2"

CR-V




| Item no. | L (mm) | ØA (mm) | H (mm) | h (mm) | |
|----------|--------|---------|--------|--------|---|
| S013200 | 251 | 42 | 26.5 | 18 | 6 |

Adjustable Wrench

- Chrome-Vanadium steel
- Chrome plated, Semi polished
- Dual-material comfort grip handle
- Laser scale

CR-V



| Item no. | Size (Inch) | L (mm) | A (mm) | B (mm) | C (mm) | D (mm) | |
|----------|-------------|--------|--------|--------|--------|--------|---|
| S016706 | 6 | 150 | 19.3 | 44.5 | 11.1 | 18.4 | 6 |
| S016708 | 8 | 200 | 24 | 55.5 | 12.6 | 23 | 6 |

15 Pc Tool Set

- Chrome-Vanadium steel
- Chrome plated, mirror polished

CR-MO



Item no.

S010015




1

- 10Pc 3/4" Dr. Standard 12pt Sockets: 30, 32, 34, 36, 38, 41, 46, 50, 55, 60mm
- 3Pc 3/4" Dr. Ratchet, 3/4" Dr. T-Slider, 3/4" Dr. Universal Joint
- 2Pc 3/4" Dr. Extension Bars: 4", 8"

Adjustable Wrench

- Chrome plated
- Semi polished
- Laser scale

UPGRADED




| Item no. | Size (Inch) | L (mm) | A (mm) | B (mm) | C (mm) | D (mm) | |
|----------|-------------|--------|--------|--------|--------|--------|---|
| S016604 | 4 | 100 | 13 | 31 | 8.7 | 14.4 | 6 |

13 Pc Double Open End Spanner

- Chrome-Vanadium steel
- Chrome plated, mirror polished

CR-V



Item no.

S018102




1

- 6 x 7, 8 x 10, 10 x 12, 11 x 13, 12 x 14, 14 x 17, 17 x 19, 19 x 21, 21 x 23, 22 x 24, 23 x 26, 24 x 27, 30 x 32mm

Combination Wrench

- Chrome-Vanadium steel
- Chrome plated, mirror polished

CR-V




| Item no. | Size (mm) | L (mm) | B (mm) | D (mm) | |
|----------|-----------|--------|--------|--------|----|
| S017109 | 9 | 160.3 | 15 | 19.8 | 12 |
| S017110 | 10 | 167.3 | 16.2 | 22 | 12 |
| S017111 | 11 | 186.3 | 17.9 | 24.1 | 12 |

Combination Wrench

- Forged from high-grade chrome-vanadium steel, heat-treated
- Chrome plated, mirror polished

CR-V




| Item no. | Size | L (mm) | B (mm) | D (mm) | |
|----------|------|--------|--------|--------|----|
| S017406 | 1/4" | 128 | 11 | 14 | 12 |

Double Open End Spanner

- Chrome-Vanadium steel
- Chrome plated, mirror polished

CR-V



| Item no. | Size (mm) | L (mm) | B (mm) | D (mm) | |
|----------|-----------|--------|--------|--------|----|
| S018108 | 8 x 10 | 128.2 | 17.7 | 19.8 | 12 |
| S018113 | 13 x 15 | 179 | 31.1 | 34.4 | 12 |



Combination Wrench With Patent


- Made by heat-treated Chrome Vanadium Steel, chrome plated, superior life-time test
- Spline ratchet head with national utility patent, easy for use on hexagonal, square-headed bolt and nuts and other aircraft bolt
- Non-slip open end designing get better nut friction and better slip resistance
- Thinner design, smaller head profile, light weight and convenient, suitable for limited space




Non-slip open end designing get better nut friction and better slip resistance




Spline ratchet head with national utility patent, easy for use on hexagonal, square-headed bolt and nuts and other aircraft bolt




Hexagon



Twelve Angle



Pattern




Square

Combination Wrench With Patent

- Forged from high-grade chrome-vanadium steel, heat-treated
- Chrome plated, mirror polished

CR-V



| Item no. | Size (mm) | L (mm) | B (mm) | D (mm) | |
|----------|-----------|--------|--------|--------|---|
| S017507 | 7 | 129 | 7.8 | 16.3 | 6 |
| S017508 | 8 | 136 | 8.5 | 18.2 | 6 |
| S017510 | 10 | 160 | 17.5 | 22.5 | 6 |
| S017512 | 12 | 172 | 19.4 | 25.9 | 6 |
| S017513 | 13 | 177 | 20.6 | 26.9 | 6 |
| S017514 | 14 | 189 | 22.5 | 30.7 | 6 |
| S017516 | 16 | 205 | 24.9 | 34.1 | 6 |
| S017517 | 17 | 226 | 26.9 | 37.6 | 6 |
| S017518 | 18 | 238 | 28.3 | 39.1 | 6 |
| S017519 | 19 | 249 | 30.1 | 40.6 | 6 |



Ratchet Wrench

- Flex-Head pivots 90 degrees in either direction for access in tight areas
- 72 Fine tooth design for extra strength
- Polished chrome finish for easy cleaning. Long beam provides extra turning power
- Ratcheting box-end needs as little as 5-Degree to move fastener VS. 30-Degree for standard box end wrenches

- Flexible Ratchet Combination Wrench



- Reversible Ratchet Combination Wrench



72 Fine tooth design for extra strength, ratcheting box-end needs as little as 5-Degree to move fastener

- Double Box End Reversible Ratchet Wrench




Slim Ratcheting box-end for access in tight areas

Flexible Ratchet Combination Wrench

- Chrome-Vanadium steel
- 72-teeth reversible ratcheting gear
- Chrome plated, mirror polished

CR-V



| Item no. | Size (mm) | L (mm) | C (mm) | D (mm) | |
|----------|-----------|--------|--------|--------|---|
| S018908 | 8 | 127 | 16.2 | 16.7 | 6 |
| S018909 | 9 | 131.5 | 18.2 | 18.6 | 6 |
| S018910 | 10 | 136 | 20.3 | 20.0 | 6 |
| S018911 | 11 | 141 | 22.5 | 21.8 | 6 |
| S018912 | 12 | 147.5 | 24.3 | 23.0 | 6 |
| S018913 | 13 | 154 | 26.8 | 25.2 | 6 |
| S018914 | 14 | 160 | 28.7 | 26.8 | 6 |
| S018915 | 15 | 169 | 30.5 | 28.3 | 6 |
| S018916 | 16 | 179 | 32.9 | 29.8 | 6 |
| S018917 | 17 | 190 | 34.5 | 31.8 | 6 |
| S018918 | 18 | 203 | 37.0 | 32.8 | 6 |
| S018919 | 19 | 215 | 39.2 | 33.9 | 6 |

Torque Wrench

- Drop forged, heat treated Cr-Mo steel head
- Chrome plated alloy steel construction with non-slip grip handle
- Accuracy within +/-3%
- 45-teeth reversible ratchet
- Rear locking mechanism for greatest accuracy, longer calibration
- Dual reading scale

CR-MO



| Item no. | Drive | N.m | L (mm) | W.T (kg) | |
|----------|-------|--------|--------|----------|---|
| S016103 | 3/8" | 4.5-30 | 310 | 0.68 | 1 |
| S016105 | 3/8" | 25-125 | 420 | 0.90 | 1 |


Torque Wrench

- Double-end quick release ratchet head, fast and convenient
- LCD display, easy for reading
- Buzz, LED alarm and unique alarm equipment, suit for noise environment
- 4 types of torsion unit setting: N.m/lbf-ft/lbf-in/Kgf-m, easy to convert

NEW



Double-end quick release ratchet head, fast and convenient



Buzz, LED alarm and unique alarm equipment, suit for noise environment



Dual material handle, oil TPR + PP, durable and corrosion resistant

| Item no. | Drive | N.m | L (mm) | |
|----------|-------|-----------|--------|---|
| S016202 | 1/2" | 20-200N.m | 565 | 1 |



TOOLS BAG & STORAGE

Tool Box, Tool Trolley, Aluminium Tool Box



Tool Trolley

- 7 Ball-bearing drawers
- General locking for extra security
- 2 fixed castors & 2 swivel castors with total brake, 500kg load capacity
- Posi-Latch drawer securing system to keep drawers closed during moving
- 10mm drawer cushions to protect working platform



General locking for extra security



Extra heavy duty ball-bearing slides for smooth operation



Posi-Latch drawer securing system to keep drawers closed during moving



Drawer cushion



2 fixed castors & 2 swivel castors with total brake

Tool Trolley

- 7 Ball-bearing drawers
- Powder coat paint for superior scratch and chemical resistance
- Internal locking system for extra security
- Wheels for mobility, convenience & durable



| Item no. | Size(mm) | |
|----------|-----------------|---|
| S025007 | 680 x 458 x 995 | 1 |

Tool Box

- Metal construction
- Double latch system
- Ball bearing glides on drawers
- Top storage area



| Item no. | Size(mm) | |
|----------|-----------------|---|
| S025010 | 510 x 218 x 250 | 1 |

Aluminium Tool Box


- Tough aluminum case
- Adjustable dividers
- Shock-resistant



| Item no. | Size(mm) | |
|----------|-----------------|---|
| S026001 | 455 x 320 x 150 | 1 |

ELECTRICAL TOOLS

Tool Set, Flashlight, Tweezer, Pliers, Crimping Tool, Screwdriver



21 Pc Tool Set



Item no. 1
S033002

- 1Pc 6Pc Precision Screwdriver set
- 4Pc 8" Linesman Pliers, 6" Long Nose Pliers, 8" Adjustable Wrench, Snap-off Knife 19mm
- 1Pc Voltage Tester 100-500VAC, 150mm
- 1Pc Bi-color Slotted Screwdriver 3 x 100mm
- 1Pc Bi-color Phillips Screwdriver PH0 x 100mm
- 1Pc Bi-color Slotted Screwdriver 6.0 x 150mm
- 1Pc Bi-color Phillips Screwdriver PH2 x 150mm
- 2Pc Electrical Iron 30W/220V, Tape Measure 3.5m
- 1Pc Hex Keys on Ring Set: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm
- 5Pc Claw Hammer 12oz, Mini Hacksaw, Mini Flashlight, Tweezers, Stainless Scissors
- 3Pc Electrical Tape, Wire Stripper 6", Rosin Core Solder

55 Pc Tool Set



Item no. 1
S033001

- 1Pc Digital Multimeter
- 4Pc Bi-color Phillips Screwdrivers: PH1 x 75, PH1 x 150, PH2 x 45, PH2 x 100mm
- 4Pc Bi-color Slotted Screwdrivers: 3 x 75, 3 x 150, 6 x 40, 6 x 100mm
- 3Pc Tape Measure 3.5m, Electrician's Knife 8", Bi-color Long Nose Pliers 6"
- 4Pc Bi-color Diagonal Pliers 6", Bi-color Linesman Pliers 8", Mini Hacksaw, 10" Adjustable Wrench
- 3Pc 7" Wire Stripper, Mini Flashlight, Electrical Tape
- 10Pc Hex keys on Ring: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm
- 2Pc 1/4" Dr. Spinner Handle, 1/4" Dr. Bit Holder
- 13Pc 1/4" Dr. Standard 6pt Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 6Pc Precision Screwdrivers: PH0, PH1, 1.4mm, 1.8mm, 2.4mm, 3.0mm
- 5Pc Electrical Iron 30W/220V, Rosin Core Solder, De-soldering Pump, Digital Voltage Tester, Tweezers

LED Flashlight

- Rubberized aluminum case for impact-resistance
- CREE LED for extra brightness
- LED bulb never need replacing, last up to 100,000 hours
- Water-resistant and shock-proof



Rubberized aluminum case



Durable switch on/off button

| Item no. | Power | LM | Battery | |
|----------|-------|----|---------|---|
| S030006 | 1W | 40 | 3AA | 6 |
| S030007 | 1W | 40 | 2AA | 6 |

15 Pc Tool Set

- Chrome-Vanadium steel
- Chrome plated, mirror polished



Item no. 1
S033004

- 2Pc 4-1/2" Mini Diagonal Pliers, 4-1/2" Mini Long Nose Pliers
- 1Pc Bi-color Phillips Screwdriver: PH0 x 75
- 1Pc Bi-color Phillips Screwdriver: PH1 x 200
- 1Pc Bi-color Slotted Screwdriver: 3 x 75mm
- 1Pc Bi-color Slotted Screwdriver: 5 x 75mm
- 1Pc Bi-color Torx Screwdriver: T10 x 100mm
- 1Pc Bi-color Torx Screwdriver: T15 x 100mm
- 4Pc Wire Stripper 6", Tweezers, ESD Brush, Rosin Core Solder
- 3Pc Desoldering Pump, Electrical Iron 30W/220V, Anti-static Wrist Strap

Heavy Duty Flashlight

- Heavy duty aluminum body
- Super LEDs for extra brightness
- Water & shock resistant



| Item no. | Bulb | LM | Battery | |
|----------|-------|----|---------|---|
| S030002 | 6 LED | 12 | 3AAA | 6 |
| S030003 | 9 LED | 18 | 2AA | 6 |

3W LED Headlamp

- High impact-resistant ABS case
- Hi-intensity CREE LED bulb
- Pivoting aluminum head
- Zoom in/out to adjust focus-on
- Uses 3pc AAA batteries, 3-position switch



| Item no. | Power | LM | Battery | |
|----------|-------|----|---------|---|
| S030012 | 3W | 70 | 3AAA | 6 |

Tweezers

- Stainless steel
- Anti-magnetic



| Item no. | Size(mm) | |
|----------|----------|----|
| S031001 | 125 | 12 |

4-1/2" Diagonal Pliers

- Drop forged steel for longer life and durability
- Double dipped grip handle
- Meets or exceeds ANSI standard
- Heat treated



| Item no. | Size | Capacity(mm) | L(mm) | |
|----------|------|----------------|-------|---|
| S035003 | 4.5" | steel wireø1.0 | 100 | 6 |

Rechargeable LED Flashlight

- Aluminium alloy body, rust & water resistant
- 3 Watt CREE LED(USA) lifetime lasts up to 100,000 hours, effective illuminated distance: 100m
- PC environmental protection glass, high transparency, shock resistant
- Durable switch on/off button
- Battery run time: 3 hours (8 hours charge time)



| Item no. | Power | LM | |
|----------|-------|----|---|
| S030010 | 3W | 70 | 6 |

Tweezers

- Stainless steel
- Anti-magnetic



| Item no. | Size(mm) | |
|----------|----------|----|
| S031004 | 118 | 12 |

Mini Double Color Handle Combination Pliers

- Body forged-steel with heat treatment. Durable and easy to use
- Special treatment for cutting edge which makes it more sharp
- Double color handle made of PP+TPR, comfortable grip, resistant to oil
- Meet or exceeds ANSI standard

NEW



| Item no. | Size | Capacity(mm) | L(mm) | |
|----------|------|----------------|-------|----|
| S035043 | 4.5" | steel wireø1.0 | 120 | 12 |

Digital Voltage Tester

- Capacity: 12-250V
- Non-contact AC voltage and current detection
- No battery needed, always ready to use
- LED screen display
- CE approved



| Item no. | Size(mm) | Test | |
|----------|----------|----------|----|
| S034013 | 150 | 12V-250V | 12 |

4-1/2" Long Nose Pliers

- Drop forged steel for longer life and durability
- Double dipped grip handle
- Meets or exceeds ANSI standard
- Heat treated



| Item no. | Size | Capacity(mm) | L(mm) | |
|----------|------|----------------|-------|---|
| S035002 | 4.5" | steel wireø1.0 | 131 | 6 |

Mini Double Color Handle Long-nose Pliers

- Body forged-steel with heat treatment. Durable and easy to use
- Special treatment for cutting edge which makes it more sharp
- Double color handle made of PP+TPR, comfortable grip, resistant to oil
- Meet or exceeds ANSI standard

NEW



| Item no. | Size | Capacity(mm) | L(mm) | |
|----------|------|----------------|-------|---|
| S035041 | 4.5" | steel wireø1.0 | 126 | 6 |



ELECTRICAL TOOLS

Mini Double Color Handle Diagonal Cutting Pliers

- Body forged-steel with heat treatment. Durable and easy to use
- Special treatment for cutting edge which makes it more sharp
- Double color handle made of PP+TPR, comfortable grip, resistant to oil
- Meet or exceeds ANSI standard

NEW



| Item no. | Size | Capacity(mm) | L(mm) | |
|----------|------|----------------|-------|----|
| S035042 | 4.5" | steel wireØ1.0 | 111 | 12 |

Mini Double Color Handle Bent Nose Pliers

- Body forged-steel with heat treatment. Durable and easy to use
- Special treatment for cutting edge which makes it more sharp
- Double color handle made of PP+TPR, comfortable grip, resistant to oil
- Meet or exceeds ANSI standard

NEW



| Item no. | Size(mm) | Test | |
|----------|----------|------|----|
| S035044 | 4.5" | 126 | 12 |

Modular Crimping Tool

- Professional crimping tool for non-insulated terminals
- Capacity:6P6C 6P4C 6P2C 8P8C 8P6C 8P4C 8P2C
- Comfort bi-material grip handle
- Hardened steel for durability
- Crimping tool with stripper



| Item no. | Size(mm) | L(mm) | |
|----------|---------------------------------------|-------|---|
| S035019 | 6P6C 6P4C 6P2C 8P8C 8P6C 8P4C 8P2C | 200 | 6 |

Mini Double Color Handle End Cutting Pliers

- Body forged-steel with heat treatment. Durable and easy to use
- Special treatment for cutting edge which makes it more sharp
- Double color handle made of PP+TPR, comfortable grip, resistant to oil
- Meet or exceeds ANSI standard

NEW



| Item no. | Size(mm) | L(mm) | |
|----------|----------|-------|----|
| S035046 | 4.5" | 106 | 12 |

Wire Stripper

- Crimps insulated terminals
- Easily cuts and strips wire
- Cleanly shears bolts
- Double dipped grip handle



| Item no. | Size | L(mm) | |
|----------|------|-------|---|
| S035009 | 8" | 200 | 6 |

6Pc Precision Screwdriver Set

- Swivel-head handles provide precision and reach
- Ideal for precision equipment maintenance



| Item no. | |
|----------|----|
| S037002 | 12 |

2Pc: Phillips: #0, #1
4Pc: Slotted: 1mm, 1.4mm, 1.8mm, 2.4mm

Precision Screwdriver Hex Key

- S2 blade, chrome plated
- Entirely hardened, black tip
- Bi-material molded handle, spinning endcap



| Item no. | Size(mm) | L(mm) | |
|----------|----------|-------|----|
| S037124 | 2.0 x 50 | 142 | 12 |

15Pc Precision Set

- S2 blade, chrome plated
- Entirely hardened, black tip
- Bi-material molded handle, spinning endcap

S2



Item no.

S037015



1

4Pc Slotted : 1.0 x 50, 2.0 x 50, 3.0 x 50, 3.5 x 50mm
 3Pc Phillips : PH000 x 50, PH00 x 50, PH0 x 50mm
 4Pc Torx : T3 x 50, T4 x 50, T5 x 50, T6 x 50mm
 4Pc Hex : 0.9 x 50, 1.3 x 50, 1.5 x 50, 2.0 x 50mm

PLCC Extractor

- Perfect for removing and installing PLCC chips
- Stainless steel, Anti-acid
- PLCC size: 20-84 pin



Item no.

S038039

Capacity

20-84 Pin



12

ESD Solvent Bottle

- One-handed operating pump top bottle
- Made of molded polyethylene and will not react with such solvents as TCE or alcohol
- Stainless steel one-touch pump with an airtight valve for volatilization-resistance and corrosion-resistance
- Stainless steel lid with hinge



Item no.

S038048

Capacity

150



12

6-In-1 Screwdriver Set

- Chrome Vanadium Molybdenum steel blade, chrome plated
- PP&TPR comfort anti-slip grip handle

CR-V-MO



Item no.

S037004



1

Slotted: 2.0, 3.0, 4.0
 Phillips: PH00, PH0, PH1

5" Double Anti-Static Handle Diagonal Cutting Pliers With Lock

- Anti-static TPE handle, suitable for workplace requiring antistatic safetyMax .wire gaugesø1.3mm, Anti-static range. Anti-static resistance 106-1011
- Designed with lock to ensure security
- Body thickness : 2.5mm with anti-static teflon treatment.

NEW



Item no.

S170003

Size

5"

L(mm)

125



6

5-in-1 Multifunctional Nipper Pliers

- Chrome-vanadium steel
- Precision Stripping without damaging the inner core
- Sharp shear
- Repair of tooth type burr reamer
- Jaw with locking device
- Easy to press 10-22AWG non insulation terminal

NEW



Item no.

S035057

Size

8"

Capacity (mm)

Solid 10,12,14,18AWG

Stranded 12,14,16,20 AWG



12

VDE INSULATED TOOLS

Screwdriver, Pliers, Wrench, Electrician's Knife, Nose Plier and Tweezer



7 Pc Insulated Screwdriver

- Bi-material soft grip handle for comfort
- Chrome vanadium steel blade
- Insulated voltage range:0-1,000V



| Item no. | Icons |
|----------|-------|
| S057002 | 6 |

Phillips : PH0 x 75mm, PH1 x 80mm, PH2 x 100mm
Slotted : 3 x 75mm, 4 x 100mm, 5.5 x 125mm, 6.5 x 150mm

VDE Slotted Screwdriver

- Bi-material soft grip handle for comfort
- Chrome vanadium steel blade
- Insulated voltage range: 0-1,000V



| Item no. | Icons |
|----------|------------------------|
| S057301 | 0.5 3.0 3.0 75 145 12 |
| S057302 | 0.8 4.0 4.0 100 190 12 |
| S057303 | 1.0 5.5 5.5 125 225 12 |
| S057304 | 1.2 6.5 6.5 150 250 12 |

Insulated Phillips Screwdriver

- Bi-material soft grip handle for comfort
- Chrome vanadium steel blade
- Insulated voltage range:0-1,000V



| Item no. | Icons |
|----------|--------------------|
| S057401 | PH0 3.0 75 145 12 |
| S057402 | PH1 5.0 80 168 12 |
| S057403 | PH2 6.0 100 200 12 |
| S057404 | PH3 8.0 150 250 12 |

Insulated Linesman Pliers

- Chrome-Vanadium steel
- Dual-material comfort grip handle
- Integral guards help prevent hand contact with conductive parts
- Insulated voltage: 1,000V



| Item no. | Size (mm) | Capacity (mm) | L (mm) | Icons |
|----------|-----------|-----------------------|--------|-------|
| S046010 | 6" | steel wire ϕ 2.0 | 150 | 6 |

Insulated Long Nose Pliers

- Chrome-Vanadium steel
- Dual-material comfort grip handle
- Integral guards help prevent hand contact with conductive parts
- Insulated voltage: 1,000V



| Item no. | Size | Capacity (mm) | L (mm) | Icons |
|----------|------|-----------------------|--------|-------|
| S046013 | 6" | steel wire ϕ 1.6 | 150 | 6 |

Insulated Diagonal Pliers

- Chrome-Vanadium steel
- Dual-material comfort grip handle
- Integral guards help prevent hand contact with conductive parts
- Insulated voltage: 1000V



| Item no. | Size (mm) | Capacity (mm) | L (mm) | Icons |
|----------|-----------|-----------------------|--------|-------|
| S046015 | 6" | steel wire ϕ 2.0 | 150 | 6 |

Injection Insulated Adjustable Wrench


- High-grade forged CR-V steel
- Bi-material injection molded handle
- Insulated voltage range:0-1000V



| Item no. | Size | Icons |
|----------|------|-------|
| S154008 | 8" | 3 |
| S154010 | 10" | 3 |

Injection Insulated Cable Knife (Changeable)


- High-grade stainless steel, heat treated
- Bi-material soft grip handle for comfort
- Insulated voltage range:0-1000V



| Item no. | D(mm) | L(mm) | Icons |
|----------|-------|-------|-------|
| S150010 | 58 | 185 | 6 |

Injection Insulated Precision Tweezers

- Hi-quality stainless steel, anti-magnetic
- Insulated voltage range:0-1000V



| Item no. | L(mm) | Icons |
|----------|-------|-------|
| S150013 | 150 | 6 |

HOLDING TOOLS

Pliers, Locking Pliers, Multi-purpose Tool



18-in-1 Multi-Purpose Tool

- Stainless steel
- Foldable, Easy to carry

includes nylon belt pouch



| Item no. | |
|----------|---|
| S041002 | 6 |

Long nose pliers, Regular pliers, Wire cutter, Wire stripper, Metal/Wood File, Saw, Can opener, Phillips screwdriver, Bottle opener, Hook remover, Serrated knife, Large blade, Large slotted screwdriver, Medium slotted screwdriver, Small slotted screwdriver

Linesman Pliers

- Drop forged CR-NI steel for longer life and durability
- Heat treated
- Bi-material comfort grip handle
- Meets or exceeds ANSI standard

CR-NI



| Item no. | Size | Capacity (mm) | L (mm) | |
|----------|------|----------------|--------|---|
| S045001 | 6" | steel wireø2.0 | 150 | 6 |

Bent Nose Pliers

- Drop forged CR-V steel for longer life and durability
- Heat treated
- Bi-material comfort grip handle
- Meets or exceeds ANSI standard

CR-V



| Item no. | Size | Capacity (mm) | L (mm) | |
|----------|------|----------------|--------|---|
| S045011 | 6" | steel wireø1.6 | 150 | 6 |

12-in-1 Multi-Purpose Tool

- Stainless steel
- Foldable, Easy to carry

includes nylon belt pouch



| Item no. | |
|----------|---|
| S041003 | 6 |

Long nose pliers, Regular pliers, Wire cutter, Wire stripper, Can opener, Phillips screwdriver, Scissors, Medium slotted screwdriver, Large blade, LED light, Key ring

Groove Joint Pliers

- Drop forged CR-V steel for longer life and durability
- Bi-material comfort grip handle
- Meets or exceeds ANSI standard


CR-V



| Item no. | Size | L (mm) | |
|----------|------|--------|---|
| S045009 | 10" | 250 | 6 |

Diagonal Pliers

- Durable forged steel
- Heat treated blade with strong shearing capacity
- Ergonomic grip handle




| Item no. | Size | L (mm) | |
|----------|------|--------|---|
| S045015 | 6" | 150 | 6 |



Long Nose Pliers

- Durable forged steel
- Heat treated blade with strong shearing capacity
- Ergonomic grip handle



| Item no. | Size | L (mm) | |
|----------|------|--------|---|
| S045016 | 6" | 150 | 6 |

Circlip Pliers

- Made of high quality of Cr-V steel
- Body finishing with polished and black finished treatment
- Dipping handle, grip with comfort

CR-V **NEW**



| Item no. | Size | L (mm) | |
|----------|------|--------|---|
| S047029 | 5" | 125 | 6 |

C-clamp Locking Pliers

- Chrome-Vanadium steel jaw for maximum durability
- Quick, easy locking and release action
- Guarded release helps keep work fast and safe
- Turn screw to adjust holding pressure and fit work

CR-V



| Item no. | Size | L (mm) | |
|----------|------|--------|---|
| S048010 | 11" | 275 | 6 |

Circlip Pliers

- Made of high quality of Cr-V steel
- Body finishing with polished and black finished treatment
- Dipping handle, grip with comfort

CR-V **NEW**



| Item no. | Size | L (mm) | |
|----------|------|--------|---|
| S047025 | 5" | 125 | 6 |



FASTENING TOOLS

Screwdriver, Ratchet Screwdriver, Hex Key



9Pc Ball End Hex Key Set

- S2 blade
- Satin finish, chrome plated
- Ball ends for angled applications

S2



| Item no. | Size | |
|----------|----------------------------------|---|
| S050003 | 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm | 6 |

12Pc Long Arm Ball End Hex Key Set

- S2 blade
- Satin finish, chrome plated
- Long design for hard to reach places
- Ball ends for angled applications

S2



| Item no. | Size | |
|----------|---|---|
| S050013 | 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" | 6 |

9-In-1 Long Arm Ball End Hex Key

- S2 blade
- Satin finish, chrome plated
- Long arm design for hard to reach places
- Ball ends for angled applications
- Hex key holder with T-handle

S2



7Pc Long Arm Ball End Hex Key Set

- S2 blade
- Satin finish, chrome plated
- Long design for hard to reach places
- Ball ends for angled applications

S2



| Item no. | Size | |
|----------|---------------------------|---|
| S050005 | 1.5, 2, 2.5, 3, 4, 5, 6mm | 6 |

9Pc Long Arm Torx Key Set

- S2 blade
- Satin finish, chrome plated
- Long design for hard to reach places

S2



| Item no. | Size | |
|----------|---|---|
| S050016 | T10, T15, T20, T25, T27, T30, T40, T45, T50 | 6 |



Hex key holder with T-handle

9Pc Long Arm Ball End Hex Key Set

- S2 blade
- Satin finish, chrome plated
- Long design for hard to reach places
- Ball ends for angled applications

S2



| Item no. | Size | |
|----------|----------------------------------|---|
| S050007 | 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm | 6 |

Long Arm Ball End Hex Key

- Satin finish, chrome plated
- Design for hard to reach places
- Ball ends for angled applications
- S2 blade

S2



| Item no. | Size | L(mm) | H(mm) | |
|----------|-------|-------|-------|---|
| S051006 | 3/32" | 86 | 17 | 6 |



Ball ends for angled applications



T-handle

| Item no. | Size | |
|----------|--------------------------------|---|
| S050023 | 2, 2.5, 3, 4, 5, 6, 7, 8, 10mm | 6 |



FASTENING TOOLS

6Pc Screwdriver Set

- Cr-V-Mo blade, Chrome plated
- Black magnetic tip
- Ergonomic comfort grip handle

CR-V-MO **UPGRADED**



| | |
|---|----|
| Item no. | |
| S056005 | 12 |
| Phillips: #1 x 100mm, #2 x 150mm | |
| Slotted: 5 x 100mm, 5 x 100mm, 5 x 150mm, 6 x 150mm | |

8Pc Screwdriver Set

- Cr-V-Mo blade, Chrome plated
- Black magnetic tip
- Ergonomic comfort grip handle

CR-V-MO **UPGRADED**



| | |
|--|----|
| Item no. | |
| S056006 | 12 |
| Phillips: #0 x 50mm, #1 x 100mm, #2 x 150mm, #2 x 45mm | |
| Slotted: 3 x 75mm, 5 x 100mm, 6 x 150mm, 6mm x 40mm | |

8Pc Screwdriver Set

- Bi-material soft grip handle for comfort
- Cr-v-mo blade, Chrome plated

CR-V-MO **UPGRADED**




| | |
|--|---|
| Item no. | |
| S056007 | 4 |
| Phillips: PH1x75mm, PH2x45mm, PH2x100mm, PH2x150mm | |
| slotted: 5x75mm, 6x40mm, 6x100mm, 6x150mm | |

Special Patented Design Screwdrivers

- Dual-drive for easy twisting back and forth direction
- Ergonomic aero-aluminium handle with slip-resistant rubber grip
- Zinc alloy material for ratchet, S2 for blade, longer lifetime
- Patented dual-driver technology 2xfaster than standard ratcheting




NEW



End of screwdriver comes with storage, easy to use



Scan QR code to get more information!



Patented dual-driver technology 2xfaster than standard ratcheting. The bits will keep on moving, because of the dual-driver technology. It drives screw twice as fast as normal ratcheting driver



Dual-drive for easy twisting back and forth direction. Aero-aluminium handle for firmness and durability



S2 blade material, longer lifetime

2X Speed Ratchet Screwdriver Set

- Ergonomic handle with slip-resistant rubber grip
- Convenient thumb switch reverse gear drive

NEW



| | |
|---|---|
| Item no. | |
| T056510 | 1 |
| • 1 pc Double Drive Ratchet Screwdriver | |
| • 20 pc Bits: T10, T15, T20, S1, S2, S3, H3/32, H1/8, H5/32, H3/16, 1/8", 3/16", 1/4", PH0, PH1, PH2 x 4, PH3 | |
| • 6 pc Power Sockets: 3/16", 1/4", 9/32", 5/16", 11/32", 3/8" | |

2X Speed Mini Ratchet Screwdriver Set

- Ergonomic handle with slip-resistant rubber grip
- Convenient thumb switch reverse gear drive

NEW



| | |
|---|---|
| Item no. | |
| T056511 | 1 |
| • 1 pc Double Drive Precision Screwdriver | |
| • 19 pc Bits: PH000 x 2, PH1 x 2, T4, T5, T6, T7, T8, T9, T10, 1.5mm, 2mm, 2.5mm, 3mm | |

6X Speed Ratchet Screwdriver Set

- Patented double drive technology 6X faster than standard ratcheting
- Move switch to change direction
- For greater torque, release the speed ring and ratchet normally
- Multiple sizes for numerous applications

NEW



| | |
|--|---|
| Item no. | |
| T056513 | 1 |
| • 1 pc 6X speed screwdriver | |
| • 24 pc Bits: 3mm, 5mm, 6mm x 2, T10, T15, T20, T25, T30, S0, S1, S2, S3, PH0, PH1, PH2 x 3, PH3, H2, H3, H4, H5, H6 | |
| • 6 pc Precision Bits: 2mm, 2.5mm, 3mm, PH0, PH00, PH000 | |

27Pc Screwdriver Set

- S2 bits for durability
- Chrome plated shaft for rust-resistant
- Heavy duty anodized aluminum handle with rubber enchased
- Pivoting ratchet drive for 0, 45 and 90-Degree operation

S2



| Item no. | | |
|----------|---|---|
| S056501 | | 6 |
| 1Pc | 3-way Ratcheting Screwdriver | |
| 16Pc | 25mm Bits | |
| | Slotted: 3, 4, 5, 6mm; Phillips: #0, #1, #2, #3 | |
| | Star: T10, T15, T20, T25; Hex: 3, 4, 5, 6mm | |
| 10Pc | 50mm Long Bits: | |
| | Slotted: 3, 5, 6mm; Phillips: #1, #2, #3 | |
| | Star: T10, T15, T20, T25 | |

13-in-1 Aluminum Screwdriver Set

- S2 bits for durability
- Chrome plated shaft for rust-resistant
- Heavy duty anodized aluminum handle with rubber enchased
- 3 position high torque ratchet

S2



| Item no. | | |
|----------|--|---|
| S056505 | | 6 |
| | Double-end Bits | |
| | Phillips : #0, #1, #2, #3; Slotted: 3, 4, 5, 6mm | |
| | Torx : T10, T15, T20, T25 | |
| | Magnetic holder | |

Aluminum Screwdriver

- Chrome plated shaft for rust-resistant
- Heavy duty anodized aluminum handle with rubber enchased
- 3 Position high torque ratchet



6-in-1 design



Heavy duty anodize aluminum handle with rubber enchased



3 position high torque ratchet

| Item no. | | |
|----------|---------------------------------------|---|
| S056508 | | 6 |
| | Double-end Bits | |
| | Phillips: PH1, PH2; Slotted: 5mm, 6mm | |
| | Nutdriver: 1/4", 5/16" | |

Slotted Screwdriver

- S2 blade, chrome plated
- Ergonomical Triangle shape handle for higher torque
- Handle markings include screw symbol and size of tip to easily find the right screw size



| Item no. | Size (mm) | L (mm) | |
|----------|-----------|--------|----|
| S059012 | 3 x 100 | 190 | 12 |
| S059014 | 5 x 100 | 200 | 12 |
| S059016 | 6 x 100 | 210 | 12 |

Phillips Screwdriver

- S2 blade, chrome plated
- Ergonomical Triangle shape handle for higher torque
- Handle markings include screw symbol and size of tip to easily find the right screw size



| Item no. | Size (mm) | L (mm) | |
|----------|-----------|--------|----|
| S059002 | #0 x 100 | 190 | 12 |
| S059004 | #1 x 100 | 200 | 12 |
| S059006 | #2 x 100 | 210 | 12 |
| S059009 | #3 x 150 | 270 | 12 |

1/4" Dr. 50mm Torx Bits

- S2 alloy steel, to support high hardness & torque
- Nickel plated finished



| Item no. | Size | |
|----------|------|----|
| S053115 | T10 | 12 |
| S053116 | T15 | 12 |
| S053117 | T20 | 12 |
| S053118 | T25 | 12 |

CUTTING TOOLS

Utility knife, Saw, Multi-Function Tool



Quick Change Heavy Duty Utility Knife

- Precision die cast zinc body
- Ergonomically designed handle
- "No tools" blade change is fast and easy with just a push of the button
- Blade locks in 4 positions
- 3 Blades stored in handle



**SHEFFIELD
PATENTED**



Push button to quick open blade storage and easy to change blade



Push button to load or retract blade

| Item no. | Size (mm) | L (mm) | |
|----------|-----------|--------|----|
| S067214 | 18 | 150 | 12 |

Self-Retracting Knife

- Razor-Sharp tempered SK5 blade
- Zinc-alloy housing
- Spring-loaded blade retracts automatically when not in use



| Item no. | Size (mm) | L (mm) | |
|----------|-----------|--------|----|
| S067202 | 18 | 149 | 12 |

Quick Change Folding Lock-Back Utility Knife

- Razor-Sharp tempered SK5 blade
- Patented quick-change mechanism
- Stainless steel housing
- Easily folds to a Compact Size to fit in pocket
- Includes belt clip for easy access
- Accepts all standard utility blades

**SHEFFIELD
PATENTED**



| Item no. | L (mm) | |
|----------|--------|----|
| S067219 | 105 | 12 |

14-In-1 Multi-Function Tool

- Stainless steel
- Foldable, easy to carry



| Item no. | |
|----------|----|
| S067215 | 12 |

Corkscrew, hook, awl, can opener, bottle opener, slotted screwdriver, small slotted screwdriver, knife, small knife, scissors, key chain ring

Heavy Duty Utility Blade

- Razor-Sharp tempered SK5 blade
- Ideal for cutting thick, dense sheet materials
- Designed for use in fixed blade knives only
- Includes 10 blades



| Item no. | Size (mm) | Thickness(mm) | Num(pc) | |
|----------|-----------|---------------|---------|----|
| S067302 | 18 | 0.6mm | 10 | 12 |

12" High Tension Hacksaw

- Metal frame
- Adjustable tension
- Quick-release, blade changing mechanism
- Ergonomically designed grip
- 12" Saw blade

UPGRADED



| Item no. | L(mm) | Blade size(mm) | |
|----------|-------|----------------|---|
| S069003 | 465 | 12" | 6 |

Folding Pocket Saw

- Hardened and tempered steel blade
- Ergonomic non-slip rubber grip handle
- Easy to carry

UPGRADED



Increase the locking device



| Item no. | Size (mm) | L(mm) | Blade size(mm) | |
|----------|-----------|-------|----------------|---|
| S069201 | 8" (7TPI) | 250 | 205 | 6 |

MEASURING TOOLS

Feeler Gauge, Tape Measure, Square, Vernier Caliper



32-Blade Feeler Gauge

- Blade Width: 10mm



| Item no. | |
|----------|----|
| S070032 | 12 |

0.03mm, 0.04mm, 0.05mm, 0.06mm, 0.07mm, 0.08mm, 0.09mm, 0.10mm, 0.13mm, 0.15mm, 0.18mm, 0.20mm, 0.23mm, 0.25mm, 0.28mm, 0.30mm, 0.33mm, 0.35mm, 0.38mm, 0.40mm, 0.45mm, 0.50mm, 0.55mm, 0.60mm, 0.63mm, 0.65mm, 0.70mm, 0.75mm, 0.80mm, 0.85mm, 0.90mm, 1.00mm

Self-locking Tape Measure

- Self-locking Aluminum Tape Measure
- Anodized aluminum housing for durability & strength
- MM & Inch stainless steel blade with nylon coated
- Self-locking blade for easy operation
- With metal clip for easy carrying




| Item no. | Size | Blade width(mm) | |
|----------|-----------|-----------------|----|
| S077505 | 5m/16ft | 19 | 12 |
| S077575 | 7.5m/25ft | 25 | 12 |

Digital Vernier Caliper

- Made of stainless steel, all measuring face is hardened and finished
- Super extra high LCD display, powered by battery, metric/ inch/fraction interchangeable
- System conversion and zero setting at any position, easy for operation and high accuracy
- Super extra high LCD, can display fraction reading
- Meet or exceeds DIN862, division value: 0.01mm



easy for operation



Stainless steel with hardened treatment

Three keys and LCD design easy for power control, zero-set and mm/inch conversion



meets or exceeds DIN862, with resolution: 0.01mm

Fiberglass Measuring Tape

- Fiberglass blade
- Shock resistant with closed ABS case
- Folding handle for quick rewind tape



| Item no. | Size(m) | Blade width(mm) | |
|----------|---------|-----------------|---|
| S077330 | 30 | 13 | 6 |

Aluminum Combination Square

- High quality aluminum stock
- Stainless steel blade with Metric scales



| Item no. | Size(mm) | |
|----------|-----------|---|
| S079008 | 150 x 300 | 6 |

| Item no. | Size (mm) | Resolution (mm) | Precision (mm) | |
|----------|-----------|-----------------|----------------|---|
| S071012 | 150 | 0.01 | ±0.03 | 1 |

STRIKING AND FINISHING TOOLS

Hammer, Diamond Needle File



Ball Pein Hammer, Fiberglass Handle

- Drop forged Carbon steel
- Fully heat-treated & polished face
- Comfortable fiberglass handle
- Meets or exceeds ANSI specs



| Item no. | Size | L(mm) | |
|----------|-------|-------|---|
| S088316 | 16 oz | 335 | 6 |

3Pc Diamond Needle File Set

- Fine diamond grit
- Perfect for machinists, gunsmiths, jewelers and hobbyists
- 150 grit
- Dipped grip handle

| Sectional Shape | Name |
|-----------------|------------------------|
| | Flat Needle File |
| | Half Round Needle File |
| | Round Needle File |



| Item no. | Size | L(mm) | |
|----------|---------|-------|----|
| S090002 | 4 x 160 | 50 | 10 |



DRILLING TOOLS

HSS Ground Thread Tap, T-Handle Ratchet Tap Wrench,
Cobalt Stub Drills



HSS Ground Thread Tap

- Qualified HSS M2 steel, fully milled, ensured hardness, cutting speed and durable usage
- Meet ISO529



| Item no. | Size | |
|----------|----------|---|
| S134001 | M3 x 0.5 | 6 |
| S134002 | M4 x 0.7 | 6 |

25Pc HSS Ti Coated Stub Drills Set

- Qualified HSS 6542 steel, fully milled, ensured hardness and cutting speed
- Adopts 135 degree dual rear degree technology for cutting edge, making accurate positioning



| Item no. | |
|----------|---|
| S133013 | 6 |

25Pc Contents: 1.0,1.5,2.0,2.5,3.0,3.5,4.0,4.5,5.0,5.5,6.0,6.5,7.0,7.5,8.0,8.5,9.0,9.5,10.0,10.5,11,11.5,12,12.5,13.0mm

T Type Ratchet Tap Wrench

- Qualified bearing steel for handle, alloyed steel for jaws, ensured torque
- Unique dual ratchet construction, zinc alloyed knob, easy for usage, power-saving and long life usage



| Item no. | Size | |
|----------|--------|----|
| S134012 | M3~M10 | 10 |



AUTOMOTIVE AND TOOL KIT

Repair / Maintenance Tool Kit, General Purpose Tool Kit



121Pc Tool Set

- Automotive tool kit
- Chrome-Vanadium steel

CR-V **NEW**



Item no.

S110001



1

- 10Pc 1/4" Dr. Standard 6pt Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 4Pc 1/4" Dr. Deep 6pt Sockets: 8, 9, 10, 12mm
- 11Pc 3/8" Dr. Standard 6pt Sockets: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 4Pc 3/8" Dr. Deep 6pt Sockets: 13, 14, 15, 17mm
- 8Pc 3/8" Dr. Torx Sockets: E8, E10, E11, E12, E14, E16, E18, E20
- 7Pc 1/2" Dr. Standard 6pt Sockets: 20, 21, 22, 24, 27, 30, 32mm
- 2Pc 3/8" Dr. Spark Plug Sockets: 16, 21mm
- 7Pc 3/8" Dr. Torx Bit Sockets: T20, T30, T40, T45, T50, T55, T60
- 4Pc 3/8" Dr. Hex Bit Sockets: H3, H4, H5, H6
- 4Pc 3/8" Dr. Phillips Bit Sockets: PH1x 2, PH2 x 2
- 2Pc 3/8" Dr. Slotted Bit Sockets: 5.5, 6.5mm
- 1Pc 1/4" Dr. Round Head Quick-release Ratchet
- 1Pc 3/8" Dr. Round Head Quick-release Ratchet
- 1Pc 1/2" Dr. Round Head Quick-release Ratchet
- 1Pc 1/4" Dr. Universal Joint
- 1Pc 3/8" Dr. Universal Joint
- 1Pc 1/2" Dr. Universal Joint
- 1Pc 3/8" Dr. Adaptor 10 x 6.3mm
- 1Pc 3/8" Dr. Tee-Joint 10 x 12.5mm
- 1Pc 1/4" Dr. Extension Bar: 2"
- 2Pc 3/8" Dr. Extension Bars: 3", 6"
- 2Pc 1/2" Dr. Extension Bars: 5", 10"
- 1Pc 1/4" Dr. Spinner Handle
- 1Pc 1/4" Dr. Bit Holder
- 1Pc 1/2" Dr. L-handle
- 3Pc 1/4" Dr. 25mm Slotted Bits: 4, 5, 6.5mm
- 3Pc 1/4" Dr. 25mm Phillips Bits: PH1, PH2, PH3
- 8Pc 1/4" Dr. 25mm Torx Bits: T8, T10, T15, T20, T25, T27, T30, T40
- 12Pc Mirror Polished Combination Wrenches: 7, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19mm
- 9Pc Long Arm Hex Keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 2Pc Screwdrivers with Striking Cap: Slotted 6 x 100mm, Phillips PH2 x100mm
- 1Pc T52 Long Star Socket
- 1Pc Three-legged Spin-on Style Oil Filter Wrench
- 1Pc Circuit Tester
- 2Pc 8" Slip Joint Pliers, 6" Long Nose Pliers

65 Pc Tool Set

- Chrome plated mirror polished
- Chrome-Vanadium steel



Item no.

S110002



1

- 14Pc Combination Wrench: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24mm
- 15Pc 1/2" Dr. Standard 6pt Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24mm
- 5Pc 1/2" Dr. Deep 6pt Sockets: 10, 13, 17, 19, 22mm
- 1Pc 3/8" Dr. Round head quick release ratchet
- 1Pc 1/2" Dr. Universal Joint 68.5mm
- 2Pc 1/2" Dr. Extension bars 5", 10"
- 1Pc 3/8" Dr. tee-Joint 10 x 12.5mm
- 9Pc Long Arm Torx Key Set
- 9Pc long arm hex key: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 1Pc Circlip Plier 5"
- 1Pc Digital Tread Depth Gauge
- 1Pc Pipe Wrench 10"
- 1Pc Measuring Tape 5m
- 1Pc 10" Adjustable wrench
- 1Pc Vernier Caliper 150mm
- 1Pc 18mm snap off knife
- 1Pc Wheel Weight Pliers

19 Pc Tool Set

- Convenient tool variety for day to day use
- Chrome-vanadium steel



Item no.

W1219



1

- 1pc Bi-color Linesman Pliers 6"
- 1pc Adjustable Pliers 8"
- 1pc Spinner Handle
- 10pc Bits
- 1pc B-color Anti-slip Claw Hammer 80Z
- 1pc Self-locking Tape Measure 3m
- 1pc Snap Off Knife 18mm
- 1pc Voltage Tester
- 1pc Electrician Tester
- 1pc Aluminum Flashlight 6LED

50 Pc Tool Set

- Convenient tool variety for day to day use
- Chrome-Vanadium steel



Item no.

W1150








1

- 1pc Bi-color Linesman Plier 6"
- 1pc Bi-color Long Nose Plier 6"
- 1pc Tri-color Adjustable Wrench 8"
- 1pc Tri-color slotted Screwdriver 6x100mm
- 1pc Tri-color Phillips Screwdriver PH2x100mm
- 1pc Dr. Spinner Handle
- 20pc Bit
- 1pc Precision Screwdriver Slotted 1.8x60mm
- 1pc Precision Screwdriver Slotted 2.5x60mm
- 1pc Precision Screwdriver Phillips PH00x60mm
- 1pc Precision Screwdriver Phillips PH0x60mm
- 1pc Claw Hammer with Tubular Handle 120Z
- 1pc Hardware Parts 100PC
- 1pc Tape Measure 5m
- 1pc Stainless Square
- 1pc Snap Off Knife 18mm
- 1pc Metric Hex Key
- 1pc Aluminum Flashlight 9LED
- 1pc Digital Voltage Tester
- 1pc Electrical Tape 9m
- 1pc Hand Saw 10"



| Item no. | Page No. | Item no. | Page No. | Item no. | Page No. | Item no. | Page No. |
|----------|----------|----------|----------|----------|----------|----------|----------|
| S010002 | 09 | S018916 | 14 | S041003 | 25 | S059004 | 30 |
| S010015 | 11 | S018917 | 14 | S045001 | 25 | S059006 | 30 |
| S010026 | 10 | S018918 | 14 | S045009 | 25 | S059009 | 30 |
| S010028 | 10 | S018919 | 14 | S045011 | 25 | S059012 | 30 |
| S010042 | 09 | S025007 | 16 | S045015 | 25 | S059014 | 30 |
| S010061 | 10 | S025010 | 16 | S045016 | 26 | S059016 | 30 |
| S010064 | 09 | S025023 | 10 | S046010 | 23 | S067202 | 32 |
| S013200 | 11 | S025028 | 10 | S046013 | 23 | S067214 | 32 |
| S016103 | 14 | S025029 | 11 | S046015 | 23 | S067215 | 32 |
| S016105 | 14 | S026001 | 16 | S047025 | 26 | S067219 | 32 |
| S016202 | 14 | S030002 | 18 | S047029 | 26 | S067302 | 32 |
| S016604 | 11 | S030003 | 18 | S048010 | 26 | S069003 | 32 |
| S016706 | 11 | S030006 | 18 | S050003 | 28 | S069201 | 32 |
| S016708 | 11 | S030007 | 18 | S050005 | 28 | S070032 | 34 |
| S017109 | 12 | S030010 | 19 | S050007 | 28 | S071012 | 34 |
| S017110 | 12 | S030012 | 19 | S050013 | 28 | S077330 | 34 |
| S017111 | 12 | S031001 | 19 | S050016 | 28 | S077505 | 34 |
| S017406 | 12 | S031004 | 19 | S050023 | 28 | S077575 | 34 |
| S017507 | 13 | S033001 | 18 | S051006 | 28 | S079008 | 34 |
| S017508 | 13 | S033002 | 18 | S053115 | 30 | S088316 | 36 |
| S017510 | 13 | S033004 | 18 | S053116 | 30 | S090002 | 36 |
| S017512 | 13 | S034013 | 19 | S053117 | 30 | S110001 | 40 |
| S017513 | 13 | S035002 | 19 | S053118 | 30 | S110002 | 40 |
| S017514 | 13 | S035003 | 19 | S056005 | 29 | S133013 | 38 |
| S017516 | 13 | S035009 | 20 | S056006 | 29 | S134001 | 38 |
| S017517 | 13 | S035019 | 20 | S056007 | 29 | S134002 | 38 |
| S017518 | 13 | S035041 | 19 | S056501 | 30 | S134012 | 38 |
| S017519 | 13 | S035042 | 20 | S056505 | 30 | S150010 | 23 |
| S018102 | 11 | S035043 | 19 | S056508 | 30 | S150013 | 23 |
| S018108 | 12 | S035044 | 20 | S057002 | 23 | S154008 | 23 |
| S018113 | 12 | S035046 | 20 | S057301 | 23 | S154010 | 23 |
| S018908 | 14 | S035057 | 21 | S057302 | 23 | S170003 | 21 |
| S018909 | 14 | S037002 | 20 | S057303 | 23 | W1150 | 40 |
| S018910 | 14 | S037004 | 21 | S057304 | 23 | W1219 | 40 |
| S018911 | 14 | S037015 | 21 | S057401 | 23 | T056510 | 29 |
| S018912 | 14 | S037124 | 20 | S057402 | 23 | T056511 | 29 |
| S018913 | 14 | S038039 | 21 | S057403 | 23 | T056513 | 29 |
| S018914 | 14 | S038048 | 21 | S057404 | 23 | | |
| S018915 | 14 | S041002 | 25 | S059002 | 30 | | |

| | mm | German DIN 3120 standard, corresponding wrench, the size of the sleeve edge | | | | | mm | German DIN 7422 standard, Allen torque test | | | | | |
|------|-----|---|---|--------|------|------|---|--|---|--------|------|------|------|
| | | 6.3mm | 10mm | 12.5mm | 19mm | 25mm | | 6.3mm | 10mm | 12.5mm | 19mm | 25mm | |
| | | Bolt corresponding minimum torque value, the unit: N.m | | | | | | Bolt corresponding minimum torque value, the unit: N.m | | | | | |
| | |  |  | | | |  |  |  | | | | |
| | | 1/4" | 3/8" | 1/2" | 3/4" | 1" | | | 1/4" | 3/8" | 1/2" | 3/4" | 1" |
| M2 | 4 | 10.4 | | | | | 1.5 | 0.82 | | | | | |
| M2.2 | 4.5 | 12.6 | | | | | 2 | 1.9 | 1.9 | | | | |
| M2.5 | 5 | 15.1 | | | | | | | | | | | |
| M3 | 5.5 | 17.8 | | | | | 2.5 | 3.8 | 3.8 | | | | |
| M3.5 | 6 | 20.6 | 23.2 | | | | | | | | | | |
| M4 | 7 | 26.8 | 33.2 | | | | 3 | 6.6 | 6.6 | 6.6 | | | |
| M5 | 8 | 33.6 | 45.5 | 94.1 | | | 4 | 16 | 16 | 16 | 16 | 16 | |
| | 9 | 41.1 | 59.9 | 119.2 | | | | | | | | | |
| M6 | 10 | 49.1 | 76.7 | 147 | | | 5 | 30 | 30 | 30 | 30 | 30 | |
| M7 | 11 | 57.8 | 96 | 178 | | | | | | | | | |
| | 12 | 67.0 | 118 | 212 | | | | | | | | | |
| M8 | 13 | 68.6 | 141 | 249 | | | 6 | 52 | 52 | 52 | 52 | 52 | |
| | 14 | 68.6 | 169 | 288 | | | 7 | 80 | | 80 | 80 | | |
| M10 | 15 | | 198 | 331 | | | 8 | 120 | 120 | 120 | 120 | 120 | |
| | 16 | | 225 | 377 | | | | | | | | | |
| | 17 | | 225 | 425 | | | 9 | 165 | 165 | 165 | 165 | | |
| M12 | 18 | | 225 | 477 | | | 10 | 220 | 220 | 220 | 220 | | |
| | 19 | | 225 | 531 | | | | | | | | | |
| | 20 | | 225 | 569 | | | 12 | 370 | 370 | | 370 | | |
| M14 | 21 | | 225 | 569 | | | | | | | | | |
| | 22 | | 225 | 569 | 569 | | | | | | | | |
| | 23 | | | 569 | 569 | | | | | | | | |
| M16 | 24 | | | 569 | 569 | | 14 | 590 | 590 | | 590 | 590 | |
| | 25 | | | 569 | 583 | | | | | | | | |
| | 26 | | | 569 | 624 | | | | | | | | |
| M18 | 27 | | | 569 | 665 | | | | | | | | |
| | 28 | | | 569 | 707 | | | | | | | | |
| M20 | 30 | | | 569 | 795 | | 17 | 980 | 980 | | 1000 | 1000 | 1000 |
| M22 | 32 | | | 569 | 888 | | | | | | | | |
| | 34 | | | 569 | 984 | | | | | | | | |
| M24 | 36 | | | | 1084 | 1677 | 19 | 1360 | 1360 | | 1400 | 1400 | 1400 |
| M27 | 41 | | | | 1353 | 1910 | | | | | | | |
| M30 | 46 | | | | 1569 | 2143 | 22 | 2110 | | | | | |
| M33 | 50 | | | | 1569 | 2329 | 24 | 2750 | | | | | 2700 |
| M36 | 55 | | | | 1569 | 2562 | 27 | 3910 | | | | | |
| M39 | 60 | | | | 1569 | 2795 | 30 | 4000 | | | | | |
| M42 | 65 | | | | | 2795 | 32 | 4000 | | | | | |
| M45 | 70 | | | | | 2795 | | | | | | | |
| M48 | 75 | | | | | 2795 | 36 | 4000 | | | | | |
| M52 | 80 | | | | | 2795 | | | | | | | |
| M56 | 85 | | | | | | | | | | | | |
| M60 | 90 | | | | | | | | | | | | |
| M64 | 95 | | | | | | | | | | | | |

UNIT CONVERSION

| | |
|------------------|---------------------------------|
| 1 m = 3.281 ft | 1 N = 0.225 lbf |
| 1 cm = 0.394 in | 1 N = 0.102 kgf |
| 1 in = 2.54 cm | 1 kgf = 9.81 N |
| 1 ft = 12 in | 1 lbf = 4.45 N |
| 1 kg = 2.205 lb | 1 bar = 105 Pa |
| 1 lb = 0.454 kg | 1 Dyne/cm ² = 0.1 Pa |
| 1 lb = 16.014 oz | 1 Torr = 133.322 Pa |
| 1 oz = 28.350 g | |



PRODUCTS AFTER-SALES SERVICE TERMS

All the **SHEFFIELD钢盾®** product meet or exceed the GB and ISO standard. We're guaranteed that during your using, if any functional issues occurred caused by quality within product limited life time, you can have quality repair or same product replacing for free based on valid purchasing proof and/or warranty card in any **SHEFFIELD钢盾®** authorized retailers in China. Other repairing needed exclude product's own quality issues, you can still experience the service with high quality. Any charging caused according to our standard.


Customer service followed as below:

- A. Replacement only valid after repair. We'll make replacement if the part is beyond repair.
- B. Corrosion, electroplating peeling, scratch of surface after using, damage of plastic handle and package(carton/card, frame, etc)during using, not included in the free customer service.
- C. Natural losses in the normal using, not included in the free customer service.
- D. Functional issues caused by improper use, not included in the free customer service, improper use: manmade damage, operating the tools without manual, beyond the scope of application or accident.
- E. Any disassemble action or parts missing, not included in the free customer service.

Any questions, please feel free to contact with **SHEFFIELD®** authorized retailers.



DOU YEE GLOBAL NETWORK



▶ **More than 39 offices**
Across 19 countries

HEAD OFFICE

Singapore

2304 Bedok Reservoir Road, Bedok Industrial Park C, Singapore 479223

Tel : (65) 6444 2678 • Fax : (65) 6743 7172 • Website : www.douyee.com • Email : s2_marketing@douyee.com.sg

MALAYSIA

Johor Bahru

Tel : (607) 556 6284 / 558 6285
Fax : (607) 556 6273
Email : jhbsales1@douyee.com.my

Malacca

Tel : (606) 231 5060/61/62/64
Fax : (606) 231 5059
Email : mlcsales@douyee.com.my

Kuala Lumpur

Tel : (603) 5121 1613 / 14
Fax : (603) 5121 8121
Email : dysales@douyee.com.my

Penang

Tel : (604) 390 4824
Fax : (604) 390 3815
Email : pngsales1@douyee.com.my

Ipoh

Tel : (605) 2911853
Fax : (604) 390 3815
Email : pngsales9@douyee.com.my

Sarawak

Tel : (082)-262518
Fax : (082)- 363517
Email : dennis.ngu@douyee.com.my

VIETNAM

Ho Chi Minh

Tel : (84) 8 3910 4420
Fax : (84) 8 3910 4419
Email : vnmsales1@douyee.com.sg

Hanoi

Tel : (844) 6275 4337
Fax : (844) 6275 4337
Email : vnmsales2@douyee.com.sg

CHINA

Shanghai

Tel : +86-21-5899 4619
Fax : +86-21-5899 4618
Email : dysh@douyee.com.cn

Suzhou

Tel : +86-512-6258 5066
Fax : +86-512-6258 5366
Email : ongcc@douyee.com.sg

Beijing

Tel : +86-10-8368 6931
Fax : +86-10-8368 7651
Email : dybj@douyee.com.cn

Tianjin

Tel : +86-22-2642 2093
Fax : +86-22-2642 2023
Email : dytj@douyee.com.cn

Dalian

Tel : +86-411-8377 9121 / 9193
Fax : +86-411-8369 5216
Email : dydl@douyee.com.cn

Chengdu

Tel : +86-28-8501 7691
Fax : +86-28-8501 7693
Email : dycd@douyee.com.cn

Xi An

Tel : +86-29-8824 7085
Fax : +86-29-8824 7085
Email : dya@douyee.com.cn

Anhui

Tel : +86-21-5899 4619
Fax : +86-21-5899 4618
Email : dyah@douyee.com.cn

Shenzhen

Tel : +86-755-8389 0255
Fax : +86-755-8389 0675
Email : dysz@douyee.com.hk

HONG KONG

Tel : +852-2480 6337
Fax : +852-2487 7956
Email : dyhk@douyee.com.hk

TAIWAN

Taipei
Tel : (886) 2 2715 1156
Fax : (886) 2 2712 8570
Email : deamer.wu@douyee.com.tw

HsinChu

Tel : (886) 3571 1618
Fax : (886) 3571 1619
Email : deamer.wu@douyee.com.tw

PHILIPPINES

Manila
Tel : (+632) 807 4683 / 84 / 85
Fax : (+632) 807 4682
Email : easy.cunanan@douyee.com.ph

Cebu

Tel : (6332) 341 1577 / 0147
Fax : (6332) 340 7686
Email : pmsales3@douyee.com.ph

INDONESIA

Jakarta
Tel : (6221) 8990 1153
Fax : (6221) 8990 5101
Email : ptdouyee@douyee.com.sg

Batam

Tel : (011) 7 7061 2490
Fax : (011) 7 7061 2489
Email : btmsales3@douyee.com.sg

THAILAND

Tel : (662) 529 0979
Fax : (662) 9081820
Email : mkt.thailand@douyee.co.th

JAPAN

Yokohama
Tel : (8145) 312 9906
Fax : (8145) 312 9907
Email : mktg@douyee.co.jp

KOREA

Tel : (82) 10 26984161
Email : leeys@douyee.com.sg

UNITED STATES

Truckee

Tel : (530) 320 1313
Email : don.boehm@douyee.com

Murphys

Tel : 209-822-0121
Email : rj.sturgeon@douyee.com

FRANCE

Tournefeuille

Tel : +33 5 61 16 20 50
Fax : +33 5 34 57 51 30
Email : info.fr@douyee.fr

Pont de Poitte

Tel : +33 (0) 3 84 87 02 39
Fax : +33 (0) 3 84 48 30 00
Email : info.fr@eurostatgroup.com

SWEDEN

Tel : +46 (0) 10 690 06 20
Fax : +46 (0) 10 690 06 21
Email : info.se@eurostatgroup.com

NETHERLANDS

Tel : +31 (0) 886 363 555
Fax : +31 (0) 886 363 563
Email : info.nl@eurostatgroup.com

UNITED KINGDOM

England

Tel : +44 (0) 139 235 7548
Fax : +44 (0) 139 226 8167
Email : info.uk@eurostatgroup.com

POLAND

Tel : +48 500 436 293
Email : info.pl@eurostatgroup.com

HU-RO

Tel : +36 70 609 4216
Email : info.hu@eurostatgroup.com

SK-CZ

Tel : +421 908 581 747
Email : info.sk@eurostatgroup.com

Distributor: