



ESD Monitoring


ESD Tester GZ-Series



- Multiple test mode option
- Digital measurement & calibration
- Digital readout LCD model
- Flexible limit configurable
- LCD test results display models
- Data logging option available
- Relay out available for entry system integration
- Support common card systems for data logging

Part No.	Description
MGL-GZ100	Digital Display ESD Checker-Standalone unit
MGL-GZ350-T	Digital ESD Access Control Checker-Standalone unit
MGL-GZ350-MIF/EM/TEM/HID	Digital ESD Access Control Checker + Card Reader
MGL-GZ600-T	Digital Display ESD Access Control Checker-Standalone unit
MGL-GZ600-MIF/EM/TEM/HID	Digital Display ESD Access Control Checker + Card Reader


Integrated Management Software



- Auto synchronize employee list
- Auto import & export ESD test data
- Real MS SQL database system
- Multi-client data access control
- Email alert on failures
- Auto ESD report emailing to multiple user

Part No.	Description
MGL-IMS	Integrated Management Software

Optional Accessories



PC-1180E (EM)
PC-1180T (Temic)
PC-6180E (EM--for PR-600 reader)



PC-1076E (EM)
PC-1076T (Temic)
PC-1076M (Mifare)

Part No.	Description
MGL-ML-PR520C	Main Controller (EM/Mifare/HID/Temic)
MGL-ML-PR75WM	Auxiliary Proximity Card Reader (Mifare)
MGL-ML-PR75WE	Auxiliary Proximity Card Reader (EM)
MGL-ML-PR75WH	Auxiliary Proximity Card Reader (HID)
MGL-ML-PC1076M	Proximity Card, Mifare, Thin, 100-pcs Pack
MGL-ML-PC1180E	Proximity Card, EM, Thick, 100-pcs Pack
MGL-ML-PC1076E	Proximity Card, EM, Thin, 100-pcs Pack
MGL-ML-PC1180T	Proximity Card, Temic, Thick, 100-pcs Pack
MGL-ML-PC1076T	Proximity Card, Temic, Thin, 100-pcs Pack
MGL-ML-TX1326	Proximity Card, HID, Thick, 100-pcs Pack



Part No.	Description
MGL-RBOX-1G100K	GZ-100/350/600 Calibration Box
MGL-RBOX-35M10	GZ-1800/EQ-3000 Calibration Box
MGL-WY-CALKIT	Resistance Calibration Kit for WY series

Turnstile & Mounting Stand



Mini Tripod

Housing(L×W×H):
500×310×1012mm*



Tripod

Housing(L×W×H):
1100×260×1010mm*



ML-STAND

(Footplate is not included)
Height: 1000~1200 mm




Flip-Gate

Housing(L×W×H):
836×300×1000mm*



Swing-Gate

Housing(L×W×H):
1200×220×1000mm*



Sliding Flap Gate

Housing(L×W×H):
1400×300×1000mm*

* Outlook, specification, and quotation are case dependent.

Part No.	Description
SYM-TP-YAT6308F-L1100XW260XH1010(mm)	Tripod Turnstile
SYM-MTP-YAT6302-L500XW310XH1012(mm)	Mini Tripod Turnstile
SYM-SW-YAT6809- L836XW300XH1000(mm)	Flip Gate
SYM-DW-YAT6618-L1200xW220xH1000(mm)	Swing Gate
SYM-DW-YAT6908-L1400xW300xH1000(mm)	Sliding Flap Gate
MGL-ML-TSTAND	Tester Stand

Remarks: Contact our sales representative for more detailed information on specifications.

Equipment/Tool Ground Monitor



- Digital measurement & calibration
- Ground monitoring across multiple devices
- Individual alarm/limit configurable
- Digital readout LCD model option
- Real-time monitoring software option
- Network control interface available

Part No.	Description
MGL-GZ-1600	Dual Wire Wrist Strap and Ground Monitor
MGL-GZ-1800	Proactive Dual Workstation Monitor
MGL-GZ-1950	8-port Equipment Ground Monitor
MGL-GZ-1980	8-port Digital Equipment Ground Monitor

Workstation Monitor



- Single/Dual-independent ESD Monitor
- Easy to install and compact in size
- Configurable alarm/limit
- Support power sharing among multiple units
- Real-time monitoring software option
- Built-in external interface for siren


Part No.	Description
MGL-WY-100	Single Channel Workstation Monitor
MGL-WY-200	Dual Channel Workstation Monitor
MGL-WY-300	Dual Channel Workstation Monitor – Network Ready

Impedance Meter



- Compact in size and portable
- LCD backlight display with 0.01Ω resolution
- 0Ω-2MΩ AC impedance measurement range
- Rechargeable battery operated
- SD card ready for data storage
- Digital measurement and calibration

Part No.	Description
MGL-GZ-3000	Ground Impedance Meter



- Universal AC impedance meter and recorder
- Programmable touch screen console available
- 0Ω-2MΩ AC impedance measurement range
- User programmable software option
- Flexible setup for email subscription
- Data logging software available


Part No.	Description
MGL-EQ3000	Dual Port AC Impedance Master



- Foundation of proper operation of any equipment – clean noise-free power and ground free of EMI
- OnFILTER provides noise free power for many application

Industrial	Medical	Semiconductor	Electronics manufacturing	Scientific	Aerospace	Audio HiFi
------------	---------	---------------	---------------------------	------------	-----------	------------

Product Category	
CleanSweep AC EMI Filter	Data EMI Filters
DC Power Line	Ground EMI Filter
Power Line EMI Adapters	Servo Motors and VFD Filters
Soldering EMI Filter	Stepper Motor





HEAD OFFICE

2304 Bedok Reservoir Road,
#05-00 Dou Yee Building,
Singapore 479223

Tel: (65) 6444 2678
Fax: (65) 6743 7172
Website: www.douyee.com
Email: s2_marketing@douyee.com.sg



Branches Contacts